

REFERENCES

1. Abbott, M. B., Bathurst, J. C., Cunge, J. A., O'connell, P. E. and Rasmussen, J., (1986). An introduction to the European Hydrological System-Systeme Hydrologique Europeen, "SHE", 1: History and philosophy of a physically-based, distributed modeling system. *Journal Hydrology*, 87, p.45-59.
2. Abdul Hadi, H.S. and Samad, H., (2000). Modelling for integrated drainage basin management. In Jamaluddin, J., Abdul Rahim, M.N., Abdul Hadi, H.S. and Ahmad Fariz, M. (eds.). *Integrated Drainage Basin Management and Modelling*. Environmental Management Programme. Centre of Graduate Studies. UKM. P.164-190.
3. Abdul Hadi Harman Shah, Abdul Samad Hadi and Jamaluddin Md. Jahi, (2002). Lembangan Langat Sebagai Pentas Kehidupan. In Mazlin Mokhtar, Shahrudin Idrus, Ahmad Fariz Mohamed, Abdul Hadi Harman Shah and Sarah Aziz (eds), *Langat Basin Research Symposium 2001*. Proceedings of The 2001 Langat Basin Research Symposium, Institut Alam Sekitar dan Pembangunan (LESTARI), p.9-20.
4. Abrahart, R. J. and Kneale, P. E., (1997). Exploring neural network rainfall-runoff modeling. *BHS National Hydrology Symposium*, Salford, UK, 9.35-9.43.
5. Adamus, C.L., and Bergman, M.J., (1996). Estimating non-point-source pollution loads with GIS screening model. *Water Resource Bulletin* 31, p.647-655.
6. Adams, M.J., (1998). The principles of multivariate data analysis. In: *Analytical Methods of Food Authentication*, eds P.R. Ashurst and M.J. Dennis, 350. Blackie Academic & Professional, London, UK.
7. Adams, S. M. and Greeley, M. S., (2000). Ecotoxicological indicators of water quality: Using multi-response indicators to assess the health of aquatic ecosystems. *Water, Air and Soil Pollution*, 123, pp. 103-115.
8. ADB (Asian Development Bank). (1997). *Emerging Asia: Changes and challenges*. ADB, Manila, p.208.
9. Agriculture Department, (1995). *Landuse of Selangor and Negeri Sembilan*. Kuala Lumpur.
10. Ahmad Mahir Razali and Hong, L.J., (2001). Pemodelan Berstatistik Data Hidrologi. In Koh Hock Lye and Yahya Abu Hassan, *Ecological Environmental Modelling (ECOMOD 2001): Proceedings of the National Workshop*, 3-4 September, USM, p.130-137.
11. Akcay, H., Oguz, A. and Karapire, C., (2003). Study of heavy metal pollution and speciation in Buyak Menderez and Gediz river sediments. *Water Research* 37, p.813-822.
12. Alias Abdullah, M. Zainora Asmawi, and Lukman Hakim Mahamod, (2004). Spatial Planning and Decision Support System for Modeling Water Resources. In Alias Abdullah, Norio Okada and Mohd Kamil Yusoff, *Water Environmental Planning: Towards integrated planning and management of water resources for environmental risks*, Bureau of Consultancy & Entrepreneurship, IIUM, p.261-282.

13. Al-Abri, M. and Hilal, N., (2008). Artificial neural network simulation of combined humic substance coagulation and membrane filtration. *Chemical Engineering Journal* 141, p.27–34.
14. Alberto, W.D., Pilar, D.M.D., Valeria, A.M., Fabiana, P.S., Cecilia, H.A., and Angeles, B.M.D.L., (2001). Pattern recognition techniques for the evaluation of spatial and temporal variations in water quality. A case study: Squia River Basin (Cordoba-Argentina). *Water Research* 35, p.2881-2894.
15. Aminian, K. and Ameri, S., (2005). Application of artificial neural networks for reservoir characterization with limited data. *Journal of Petroleum Science & Engineering* 49, p.212-222.
16. Anderberg, M. R. (1973) *Cluster Analysis for Applications*. Academic Press, New York, NY
17. Andrade, J.M., Kubista, M., Carlosena, A. and Prada, D., (2007). 3-Way characterization of soils by Procrustes rotation, matrix-augmented principal component analysis and parallel factor analysis. *Analytica Chimica Acta* 603, p.20-29.
18. Annan, J.D., (1997). On repeated parameter sampling in Monte Carlo simulations. *Ecological Modelling* 97, p.111-115.
19. Arheimer, P.V. and Swank, W.T., (2000). Nitrogen and phosphorus concentrations from agriculture catchments-influence of spatial and temporal variables. *Journal Hydrology* 227(1-4), p.140-159.
20. Arora, P.N., Arora, S. and Arora, S., (2007). *Comprehensive Statistical Methods*. S. Chand & Company Ltd., New Delhi.
21. Aruga, R., Gastaldi, D., Negro, G. and Ostacoli, G., (1995). Pollution of a river basin and its evolution with time studied by multivariate statistical analysis. *Analytica Chimica Acta* 310, p.15-25.
22. ASCE, (1975). Aspects of hydrological effects of urbanization. *Journal of the Hydraulics Division ASCE* 101, p.449-468.
23. Astel, A., Tsakovski, S., Barbieri, P. and Simeonov, V., (2007). Comparison of self-organizing maps classification approach with cluster and principal components analysis for large environmental data sets. *Water Research* 41, p.4566-4578.
24. Ayob Katimon, Ahmad Khairi Abd Wahab and Zulkifli Yusop, (2001). Studies on Hydrological Dynamic of a Drained Peat Basin Using Time Series Model. In Koh Hock Lye and Yahya Abu Hassan, *Ecological Environmental Modelling (ECOMOD 2001): Proceedings of the National Workshop, 3-4 September, USM*, p.138-146.
25. Azni Bin Idris, Abdullah Ai Mamun, Mohd Amin Mohd Soom, and Wan Nor Azmin Sulaiman, (2003). Review of Water Quality Standards and Practices in Malaysia. *Poll. Res.* 22 (2), p.145-155.
26. Bahls, L.R., Burkantis, R. and Tralles, S., (1992). *Benchmark biology of Montana reference streams*. Department of Health and Environmental Science, Water Quality Bureau, Helena, Montana.
27. Baker, A., (2003). Land use and water quality. *Hydrological Process* 17, p.2499-2501.

28. Barnes, I., Kistler, R.W., Mariner, R.H., and Presser, T.H., (1981). Geochemical evidence on the nature of the basement rocks of the Sierra Nevada, California. *US Geological Survey Water Supply Paper* 2181.
29. Bastarache, D., El-Jabi, N., Turkham, N. and Clair, T.A., (1997). Predicting conductivity and acidity for small streams using neural networks. *Canadian Journal of Civil Engineering*, 24, p.1030-1039.
30. Bates, D.E., and Porter, J.N., (2008). AO3D: A Monte Carlo code for modeling of environmental light propagation. *Journal of Quantitative Spectroscopy & Radiative Transfer* 109, p.1802–1814.
31. Baughman, D.R. and Liu, Y.A., (1990). *Neural Networks in Bioprocessing and Chemical Engineering*. Academic Press, New York.
32. Beaulac, M.N. and Recknow, K.M., (1982). An examination of land-use nutrient export relationships. *Water Resources Bulletin* 18, p.1013-1024.
33. Beck, M.B., (1986), Identification, estimation and control of biological wastewater treatment processes. *IEE Proceeding* 133, p.254-264.
34. Becker, S., Gemmer, M. and Jiang, T., (2003). Observed and interpolated precipitation trends and variability in the Yangtze basin area. *Journal of Lake Sciences Supplement* 15, p.123-129.
35. Bergin, M.S., and Milford, J.B., (2000). Application of Bayesian Monte Carlo analysis to a Lagrangian photochemical air quality model. *Atmospheric Environment* 34, p.781-792.
36. Bertrand-Krajewski, J.-L., Chebbo, G. and Saget, A., (1998). Distribution of pollutant mass vs volume in stormwater discharges and the first flush phenomenon. *Water Research*, Vol. 32, No.8, p.2341-2356.
37. Benediktsson, J.A., Swain, P.H., and Ersoy, O.K., (1990). Neural network approaches versus statistical methods in classification of multisource remote sensing data. *I.E.E.E. Transactions on Geoscience and Remote Sensing*, 28, p.540-551.
38. Beven, K.J., Kirkby, M.J., Schofield, N. and Tagg, A.F., (1984). Testing a physically-based flood forecasting model (TOPMODEL) for three UK catchments. *J. Hydrol.*, 69, p.119-143.
39. Bhattacharya, S. and Malakar, S., (2006). Monte Carlo modeling of the effect of extreme events on the extinction dynamics of faunal species with 2-stage life cycles. *Ecological Informatics* 1, p.189 – 193.
40. Bhunia, P. and Ghangrekar, M.M., (2008). Statistical modeling and optimization of biomass granulation and COD removal in UASB reactors treating low strength wastewaters. *Bioresource Technology*, 99, p.4229-4238.
41. Bishop, C. M., (1995). *Neural Networks for Pattern Recognition*. Clarendon Press, Oxford.
42. Boger, Z., (1992). Application of neural networks to water and wastewater treatment plant operation. *ISA Trans.* 31, p.25-33.
43. Bolstad, P.V. and Swank, W.T., (1997). Cumulative impacts of land use on water quality in a southern Appalachian watershed. *J. Am. Water Resour. Assoc.* 33(3), p.519-534.
44. Bonham-Carter, G. F., (1994). *Geographic Information Systems for Geoscientists – Modelling with GIS*. Pergamon, Oxford.

45. Bormann, H., (2005). Regional hydrological modelling in Benin (West Africa): Uncertainty issues versus scenarios of expected future environmental change. *Physics and Chemistry of the Earth* 30, p.472–484.
46. Bosch, D.D., Bingner, R.L., Theurer, F.G., Felton, G. and Chaubey, I., (1998). Evaluation of the AnnAGNPS water quality model. *ASAE Paper No. 98-2195*, St Joseph, Michigan, p.12.
47. Bosnic, M., Buljan, J., and Daniels, R.P., (2000). Pollutants in tannery effluents: Definitions and environmental impact limits for discharge into water bodies and sewers, Regional Programme for Pollution Control in the Tanning Industry in South-East Asia, United Nations Industrial Development Organization, p.1-26.
48. Bouraoui, F., (2007). Testing the PEARL model in the Netherlands and Sweden. *Environmental Modelling & Software*, 22, p.937-950.
49. Bourne, L.S., (1982). *Internal Structure of the City: Readings on Urban Form, Growth, and Policy*. 2nd. edition. Oxford: Oxford University Press.
50. Bou-Zeid, E., and El-Fadel, M., (2004). Parametric sensitivity analysis of leachate transport simulations at landfills. *Waste Management* 24, p.681–689.
51. Bowden, K. and Brown, S. R., (1984). Relating effluent control parameters to river quality objectives using a generalized catchment simulation model. *Water Science Technology*, 16, p.197-206.
52. Bowden, G.J., Dandy, G.C. and Maier, H.R., (2005). Input determination for neural network models in water resources applications. Part 1-background and methodology. *Journal of Hydrology* 301, p.75-92.
53. Brodnjak-Voncina, D., Dobcnik, D., Novic, M., and Zupan, J., (2002). Chemometrics characterization of the quality of river water. *Analytica Chimica Acta* 462, p.87-100.
54. Brouwer, R., and De Blois, C., (2008). Integrated modelling of risk and uncertainty underlying the costand effectiveness of water quality measures. *Environmental Modelling & Software* 23, p.922-937.
55. Brown, L.C. and Barnwell, T.O., (1987). *The Enhanced Stream Water Quality Models QUAL2E and QUAL2E-UNCAS: Documentation and User Manual*. US EPA.
56. Brown, S.D., Skogerboe, R.K. and Kowalski, B.R., (1980). Pattern Recognition Assessment of Water Quality Data: Coal Strip Mine Drainage. *Chemosphere* Vol. 9, p.265-276.
57. Brown, S.D., Blank, T.B., Sum, S.T., Weyer, L.G., (1994). Chemometrics. *Anal. Chem.* 66, 315R-359R.
58. Brown, S.D., Sum, S.T., Despagne, F., (1996). Chemometrics. *Anal. Chem.* 68, 21R-61R.
59. Buck, O., Niyogi, D.K. and Townsend, C.R., (2003). Scale-dependence of land use effects on water quality of streams in agricultural catchments. *Environmental Pollution* 130, p.287-299.
60. Bunch, R.G.H. and Smith, R.S., (1978). *An Ecological Survey of Cumbria*. Cumbria County Council and Lake District Special Planning Board. Kendal.63.

61. Burian, J.S., McPherson, T.N., Brown, M.J., Streit, G.E. and Turin, H.J., (2002). Modeling the effects of air policy changes on water quality in urban areas. *Environmental Modeling and Assessment* 7, p.179-190.
62. Burn, D.H. and Hag Elnur, M.A., (2002). Detection of hydrologic trends and variability. *Journal of Hydrology* 255, p.107-122.
63. Burrough, P.A., (1986). Principles of Geographic Information System for Earth Resources Assessment. Clarendon Press, Oxford, UK, p.193.
64. Canter, L.W., (1986). *Environmental impacts of agricultural production activities*. Lowis Publishers, Inc.
65. Camdevýren, H., Demýr, N., Kanik, A., and Kesýn, S., (2005). Use of principal component scores in multiple linear regression models for prediction of Chlorophyll-a in reservoirs. *Ecological Modelling*, 181, p.581-589.
66. Campolo, M., Andreussi, P., and Soldati, A., (1999). River flood forecasting with a neural network model. *Water Resour. Res.*, 35, p.1191-1197.
67. CEQ (Council on Environmental Quality), (1978). *Regulations for implementing the procedural provisions of the National Environmental Policy Act*. 43FR5578-56007 November 29. 40 CFR Parts 1500-1508.
68. Carrol, R.J., and Rupert, D., (1988). *Transformation and Weighting in Regression*. Chapman and Hall: New York.
69. Chambers, (1992). *Maxi Paperback Dictionary*. W. & R. Chambers Ltd., Cambridge.
70. Chamhuri Siwar, Abdul Samad Hadi, Abdul Hadi Harman Shah, Ahmad Fariz Mohamed and Shaharudin Idrus, (2004). Socioeconomic Status and Transformation of Households in Langat Basin. In Mazlin Mokhtar, Shaharudin Idrus and Sarah Aziz (eds), *Ecosystem Health of The Langat Basin*. Proceedings of The 2003 Research Symposium on Ecosystem of The Langat Basin, Institut Alam Sekitar dan Pembangunan (LESTARI), p.23-43.
71. Chang, J.H., (1993). Hydrology in humid tropical Asia. *International Hydrological Series*. UNESCO. Cambridge University Press: Cambridge.
72. Chapin, F.S.Jr. and Kaiser, E.J., (1979). *Urban Land Use Planning*. Urbana: University of Illinois Press.
73. Chapman, D., (1992). *Water Quality Assessment*. Ed. D. Chapman on behalf of UNESCO, WHO and UNEP, Chapman & Hall: London.
74. Chapra, S.C., (1997). *Surface Water Quality Modelling*. McGraw-Hill, London.
75. Chen, K., Jiao, J.J., Huang, J. and Huang R, (2007). Multivariate statistical evaluation of trace elements in groundwater in a coastal area in Shenzhen, China. *Environmental Pollution* 147, p.771-780.
76. Chen, L., Wang, J., Bojie, F. and Qiu, Y., (2001). Land use change in a small catchment of northern Loss Plateau, China. *Agriculture, Ecosystems and Environment* 86, p.163-172.
77. Chen, Q., and Mynett, A.E., (2003). Integration of data mining techniques and heuristic knowledge in fuzzy logic modeling of eutrophication in Taihu Lake. *Ecol. Modell.* 162, p.55-67.
78. Cheng, B. and Titterington, D.M., (1994). Neural networks: A review from a statistical perspective. *Statistical Sciences* 9(1), p.2-54.

79. Miller, C.V., Gutiérrez-Magness, A.L., Majedi, B.L.F. and Foster, G.D., (2007). Water Quality in the Upper Anacostia River, Maryland: Continuous and Discrete Monitoring with Simulations to Estimate Concentrations and Yields, 2003–05 *Scientific Investigations Report 2007–5142*, USGS: Virginia.
80. Chon, K.H. and Cohen, R.J., (1997). Linear and nonlinear ARMA model parameter estimation using an artificial neural network. *IEEE Transactions on Biomedical Engineering* 44(3), p.168-174.
81. Christophersen, N., Seip, H.M. and Wright, R.F., (1982). A model for streamwater chemistry at Birkenes, Norway. *Water Resour. Res.*, 18, p.977-996.
82. Christensen, V.G., (2001). Characterization of surface-water quality based on real-time monitoring and regression analysis, Quivira National Wildlife Refuge, South-Central Kansas, December 1998 through June 2001: *U.S. Geological Survey Water-Resources Investigations Report 01–4248*, p.28.
83. Chung, J.-B., Kim, S.-H, Jeong, B.-R., Lee, Y.-D. and Prasher, S.O., (2005). Modeling Floodplain Filtration for the Improvement of River Water Quality. *Transport in Porous Media* 60, p.319-337.
84. Cichocki, A. and Unbehauen, R. (1993) *Neural Networks for Optimization and Signal Processing*. John Wiley, Chichester, England.
85. Cigizoglu, H.K., (2000). A method based on taking the average of probabilities to compute the flow duration curve. *Nordic Hydrology* 31, p.188-207.
86. Cigizoglu, H.K., (2004). Estimation and forecasting of daily suspended sediment data by multi-layer perceptrons. *Advances in Water Resources* 27, p.185-195.
87. Clarici, E., (1995). Environmental Modelling Using Neural Networks, PhD Thesis, Imperial College.
88. Coburn, J., (1989). Is Cumulative Watershed Effects Analysis Coming of Age? *Journal of Soil and Water Conservation* 45, p.267-270.
89. Codner, G.P., Laurenson, E.M. and Mein, R.G., (1988). Hydrologic effects of urbanization: a case study. *Proceedings of the Hydrology and Water Resources Symposium*. Institution of Engineers, Australia, p.201-205.
90. Cohen, J., Cohen, P., West, S. G. and Aiken, L. S., (2003). *Applied Multiple Regression/Correlation Analysis for the Behavioral Sciences*. 3rd edition. Mahwah, N.J.: Lawrence Erlbaum.
91. Cohn, T.A., Caulder, D.L., Gilroy, E.J., Zynjuk, L.D., and Summers, R.M., (1992). The validity of a simple statistical model for estimating fluvial constituent loads—An empirical study involving nutrient loads entering Chesapeake Bay. *Water Resources Research*, Vol. 28, no. 9, p. 2,353–2,363.
92. Connor, J.T., Martin, R.D., and Atlas, L.E., (1994). Recurrent neural networks and robust time series prediction. *IEEE Transactions on Neural networks* 5(2), p.240-254.
93. Cornfield, J. and Tukey, J.W., (1956). Average values of mean squares in factorials. *Annals of Mathematical Statistics* 27, p.907-949.

94. Costa, M.H., Botta, A. and Cardille, J.A., (2003). Effects of large-scale changes in land cover on the discharge of the Tocantins River, Southeastern Amazonia. *Journal of Hydrology*, 283, p.206-217.
95. Crespo, J. L. and Mora, E., (1993). Drought estimation with neural networks. *Advances in Engineering Software*, 18, p.167-170.
96. Cun, C. and Vilagines, R., (1997). Time series analysis on chlorides, nitrates, ammonium and dissolved oxygen concentrations in the Seine river near Paris. *The Science of the Total Environment* 208, p.59-69.
97. Dahlgren, R.A. and Singer, M.J., (1994). Nutrient cycling in managed and non-managed oak woodland-grass ecosystems. *Land, Air and Water Resources Research Paper* 100028. University of California, Davis, CA.
98. Darkins, M.E., Toll, J.E., Small, M.J., Brand, K.P., (1996). Risk-based environmental redediation: Bayesian Monte Carlo analysis and the expected value of sample information. *Risk Analysis* 16, p.67-79.
99. Dale, W.L., (1959). The Rainfall of Malaya. Part 1. *Journal Tropical Geography*. University Malaya, 13, p.23-37.
100. Dale, W.L., (1963). Surface temperature in Malaya. *Journal Tropical Geography*. University Malaya, 17, p.58-66.
101. Daniel, W.W., (1990). *Applied nonparametric statistics*, 2nd. ed. Boston, MA:PWS-KENT Publishing Co.
102. Davis, J.C., (1986). *Statistics and Data Analysis in Geology*. Wiley, New York, p.647.
103. Davis, R. and Hirji, R. (2003)a. *Environmental Flows: Case Studies*.. Water Resources and Environment Technical Note C.2. The World Bank. Washington, D. C.
104. Dawson, C. W., and Wilby, R., (1998). An artificial neural network approach to rainfall-runoff modeling. *Hydro. Sci. J.*, 43, p.47-66.
105. Deletic, A., (1998). The first flush load of urban surface runoff. *Water Research*, Vol. 8, No.8, p.2462-2470.
106. Demuth, H., and Beale, M., 2000. *Neural Network Toolbox User's Guide*. The Mathworks, Natick.
107. Department of Environment Malaysia (DOE), (1994). *Classification of Malaysians Rivers*, Ministry of Science, Technology and Environment. Kuala Lumpur: Ministry of Science, Technology and Environment.
108. Department of Environment Malaysia (DOE), (1997). *Malaysia environmental quality reports 1999*. Kuala Lumpur: Ministry of Science, Technology and Environment.
109. Department of Environment Malaysia (DOE), (1998). *Malaysia environmental quality reports 1999*. Kuala Lumpur: Ministry of Science, Technology and Environment.
110. Department of Environment Malaysia (DOE), (1999). *Malaysia environmental quality reports 1999*. Kuala Lumpur: Ministry of Science, Technology and Environment.
111. Department of Statistic Malaysia, (2000). *Banci Penduduk dan Perumahan Malaysia 2000: Population Distribution by Local Authority Areas and Sub-districts*. Percetakan Nasional Malaysia Berhad.

112. Derks, E.P.P.A., (1994). Validations methods for multi-layered feed-forward artificial neural networks, in Buydens, L.M.C. and Melssen, W.J. (Editors), *Chemometrics. Exploring and Exploiting Chemical Information*, Nijmegen, p.243-260.
113. DeSilets, L., Golden, B., Wang, Q., and Kumar, R., (1992). Predicting salinity in the Chesapeake Bay using backpropagation. *Computer and Operations Research*, 19, p.227-285.
114. DeVeaux, R.D., Schumi, J., Schweinsberg, J. And Unger, L.H., (1998). Prediction intervals for neural networks via nonlinear regression. *Technometrics*, 40, p.273-282.
115. DHI, (1992). *MIKE II User Manual*. Danish Hydraulic Institute, Denmark.
116. Dixon, W. and Chiswell, B., (1996). Review of aquatic monitoring program design. *Water Research* 30, p.1935-1948.
117. Douglas, I., (1994). Human Settlements. In Meyer, W.B. and Turner II, B.L. (eds.), *Changes in Land Use and Land Cover: A Global Perspective*, Cambridge: Cambridge University Press, p.149-170.
118. Douglas, E. M., Vogel, R. M. and Kroll, C. N., (2000). Trends in floods and low flows in the United States: impact of spatial correlation. *J. Hydrol.* 240, p.90–105.
119. Drainage and Irrigation Department (DID), (2001). *DID Annual Report*. Kuala Lumpur.
120. Dunning, J.B., Danielson, B.J. and Pulliam, H.R., (1992). *Ecological processes that affect populations in complex landscape*. *Oikos*, 65, p.169-175.
121. Dussailant, A., Munoz, J.F., Saez, P. and Pantoja, C., (1997). Water quality modelling of Mapocho river, Chile, using QUAL2E-UNCAS. In Rajar, R. and Brebbia, C.A. (Eds) *Water Pollution IV Modelling, Measuring and Prediction*. Computational Mechanics Publications. Southhampton, UK.
122. Eberhart, R.C. and Dobbins, R.W., (1990). *Neural Network PC Tools: A Practical Guide*. Academic Press, San Diego.
123. El-Din, A.G. and Smith, D.W., (2002). A neural network model to predict the wastewater inflow incorporating rainfall events. *Water Research* 36, p.1115-1126.
124. Elkie, P.C., Rempel, R.S. and Carr, A.P., (1999). Patch Analyst User's Manual: A Tool for Quantifying Landscape Structure. *NWST Technical Manual TM-002*, Northwest Science & Technology, Ontario.
125. Elman, J.L., (1988). Finding structure in time. *CRL Technical Report 8801*, University of California at San Diego, Centre for Research in Language.
126. Elsner, J.B., and Tronis, A.A., (1992). Nonlinear prediction, chaos, and noise. *Bull. Am. Meterol. Soc.* 73(1), p.303-314.
127. El-Shaarawi, A.H., (1993). Environmental monitoring, assessment and prediction of change. *Envirometrics* 4, p.381-398.
128. Eriksson, L., Hagbert, P., Johansson, E., Rannar, S., Whelehan, O., Astrom, A., and Lindgren, T., (2001). Multivariate process monitoring of a newsprint mill. Application to modeling and predicting COD load resulting from de-inking of recycled paper. *Journal Of Chemometrics*, 15, pp.337-352.

129. -Estrada, J.C.G., -Sanz, E. de P., -Luque, R.L., and -Calvo, I.P., (2004). Comparison between traditional methods and artificial neural networks for ammonia concentration forecasting in an eel (*Anquilla anquilla* L.) intensive rearing system. *Aquacultural Engineering* 31, p.183-203.
130. Fahlman, S.E., and Lebiere, C., (1990). The Cascade-Correlation Learning Architecture. *Carnegie Mellon University Technical Report CMU-CS-90-100*.
131. Ferrier, R.C., Whitehead, P.G., Sefton, C., Edwards, A.C. and Pugh, K., (1995). Modeling impacts of land use change and climate change on nitrate-nitrogen in the River Don, North East Scotland. *Water Research.*, 29, p.1950-1956.
132. Fisher, D.S., Steiner, J.L., Endale, D.M., Stuedemann, J.A., Schomberg, H.H. and Wilkinson, S.R., (2000). The relationship of land use practices to surface water quality in the Upper Oconee Watershed of Georgia. *Forest Ecology and Management* 128, p.39-48.
133. Flink, P., Lindell, T., Ostlund, C., (2001). Statistical analysis of hyperspectral data from two Swedish lakes. *Sci. Total Environ.* 268, p.155-169.
134. Food and Agriculture Organization (FAO), (1995). *Planning for Sustainable Use of Land Resources*. FAO Land and Water Bulletin 2. Rome: Food and Agriculture Organization of the United Nations.
135. Foody, G.M., McCulloch, M.B., and Yates, W.B., (1995). Classification of remotely sensed data by an artificial neural network: issues related to training data characteristics. *Photogrammetric Engineering and Remote Sensing*.
136. Forina, M., Armanino, C., and Raggio, V., (2002). Clustering with dendograms on interpretation variables. *Anal. Chim. Acta* 454, p.13-19.
137. French, M., Krajewski, W., and Cuykendall, R.R., (1992). Rainfall forecasting in space and time using neural network. *Journal of Hydrology* 137, p.1-31.
138. Frenzel, S.A. and Couvillion, C.S., (2002). Fecal-indicator bacteria in streams along gradient of residential development. *Journal of the American Water Resources Association* 38, p.265-273.
139. Frink, C.R., (1991). Estimating nutrient exports to estuaries. *Journal Environmental Quality*, 20, p.717-724.
140. Galbiati, L., Bouraoui, F. and Bidoglio, G., (2006). Modelling diffuse pollution loading into a Mediterranean lagoon: Development and application of an integrated surface-subsurface model tool. *Ecological Modelling* 193, p.4-18.
141. Gallant, S.I., (1993). *Neural Network Learning and Expert Systems*. The MIT Press, Cambridge, U.K.
142. Gardner, M.W., and Dorling, S.R., (1998). Artificial neural networks (the multilayer perceptron) – a review of applications in the atmospheric sciences. *Atmospheric Environment*, 32, p.2627-2636.
143. Garrett, J.H., Gunaratham, D.J., and Ivezic, N., (1997). In: Kartam, N., Flood, I. (Eds), *Artificial Neural Networks for Civil Engineers: Fundamentals and Applications*. ASCE, p.1-17.
144. Gatts, C.E.N., Ovalle, A.R.C., and Silva, C.F., (2004). Neural pattern recognition and multivariate data: water typology of the Paraiba do Sul River, Brazil. *Environmental Modelling & Software*, Article In Press, p.1-7.

145. Gburek, W.J. and Folmar, G. J., (1999). Flow and chemicals contributions to streamflow in an upland watershed: a baseflow survey. *Journal of Hydrology* 217, p.1-18.
146. Gershon, N.D., and Miller, C.G., (1993). Dealing with the data deluge. *I.E.E.E. Spectrum*, 30, 28-32.
147. Gilbert, R.O., (1987). *Statistical Methods for Environmental Pollution Monitoring*. Van Nostrand Reinhold Company Inc., New York.
148. Gong, F., Wang, B.-T., Fung, Y.-S. and Chau, F.-T., (2005). Chemometric characterization of the quality atmospheric environment in Hong Kong. *Atmospheric Environment* 39, p.6388-6397.
149. Goonetilleke, A., Thomas, E., Ginn, S. and Gilbert, D., (2005). Understanding the role of land use in urban stormwater quality management. *Journal of Environmental Management*, 74, p.31-42.
150. Gosselink, J.G., Shaffer, G.P., Lee, L.C., Burdick, D.M., Childers, D.L., Leibowitz, N.C., Hamilton, S.C., Boumans, R., Cushman, D., Fields, S., Koch, M. and Visser, J.M., (1990). Landscape Conversion in a Forested Wetland Watershed: Can We Manage Cumulative Impacts? *BioScience* 40, p.588-600.
151. Griffith, J.A., (2002). Geographic techniques and recent applications of remote sensing to landscape water quality studies. *Water Air Soil Pollution* 138, p.181-197.
152. Gutierrez, D., Fernandez, P., Seymour, A.S. and Jordano, D., (2005). Habitat distribution models : Are mutualist distributions good predictors of their associates ? *Ecol. Appl.*, 15, p.3-18.
153. GWP-ToolBox. (2003). *Sharing Knowledge for Equitable, Efficient and Sustainable Water Resources Management*. Global Water Partnership ToolBox Integrated Water Resources Management. www.gwpforum.org
154. Haag, I. and Westrich, B., (2002). Processes governing river water quality identified by principal component analysis. *Hydrological Processes*, 16, p.3113-3130.
155. Ha, S.R. and Bae, M-S., (2001). Effects of land use and municipal wastewater treatment changes on stream water quality. *Water, Air, and Soil Pollution* 70, p.135-151.
156. Ha, H. and Stenstrom, M. K., (2003). Identification of land use with water quality data in stormwater using a neural network. *Water Research*, 37, p.4222-4230.
157. Hafizan Juahir, (1999). *Water Quality Analysis Kualiti Using Mathematical Model at Sungai Langat, Hulu Lang at, Selangor*, unpublished MSc. Thesis Quality and Productivity Improvement, UKM
158. Hafizan Juahir, Sharifuddin M. Zain, Zainol Mustafa, and Azme Khamis, (2001). Dissolve oxygen forecasting due to landuse activities using time series analysis at Sungai Lang at, Hulu Lang at, Selangor. *Ecological Environmental Modelling*, Proceeding of the National Workshop, Universiti Sains Malaysia, 3-4 September, p.157-164.
159. Hafizan Juahir, Sharifuddin M. Zain, Mohd. Ekhwan Toriman, M. Nazari Jaafar and W. Klaewtanong, (2003a). Performance of autoregressive

- integrated moving average and neural network approaches for forecasting dissolved oxygen at Langat River Malaysia. *Urban Ecosystem Studies In Malaysia: A study of change*. Universal Publishers, p. 145-165.
160. Hafizan Juahir, Sharifuddin M. Zain, M. Nazari Jaafar, Zainal Majid and M. Ekhwan Toriman, (2003b). Land use temporal changes: application of GIS and statistical analysis on the impact of water quality at Langat River Basin, Malaysia. presented in *2nd Annual Asian Conference of Map Asia 2003*, 17-19, Oct., PWTC Kuala Lumpur.
 161. Hafizan Juahir, Sharifuddin M. Zain, M. Nazari Jaafar and Zainal Ahmad, (2004a). An Application of Second order backpropagation method in Modeling River Discharge at Sungai Langat, Malaysia. *Water Environmental Planning: Towards integrated planning and management of water resources for environmental risks*, IIUM, p.300-307.
 162. Hafizan Juahir, Sharifuddin M. Zain, M. Ekhwan Toriman and Mazlin Mokhtar, (2004b). Application of Artificial Neural Network Model In the Predicting Water Quality Index. *Jurnal Kejuruteraan Awam*, 16 (2), p.42-55.
 163. Hafizan Juahir, Sharifuddin M. Zain, Mazlin B. Mokhtar, M. Ekhwan Toriman, Zaihan Jalaludin, Ijan Khushaida M. Jan, (2005). Application of chemometrics in Environmental Chemistry for Sustainable Utilisation of Water Resources: Langat Basin as a Case Study, *Seminar JSChem ITB-UKM*, Bali. www.chem.itb.ac.id/jschem/download/abstrak_ruang_c.pdf
 164. Hamed, M.M. and El-Beshry, M.Z., (2004). Uncertainty Analysis in Dissolved Oxygen Modeling in Streams. *Environmental Management*, Vol. 34, 2, p.233-244.
 165. Harrison, R.M., (1990). *Pollution: Causes, effects and control*. United Kingdom: Royal Society of Chemistry.
 166. Hartigan, J., (1975). *Clustering Algorithms*. Wiley, New York, NY.
 167. Hashim D., (2001). *Water Pollution Control in Malaysia – A Regulator’s Perspective*. Paper resented in the Seminar on World Day for Water – 2001, 23-24 March, Batu Pahat, Johor.
 168. Ha, S.R. and Bae, M-S., (2001). Effects of land use and municipal wastewater treatment changes on stream water quality. *Water, Air, and Soil Pollution* 70, p.135-151.
 169. Hanna, S., Chang, J., Fernau, M., (1998). Monte Carlo estimates of uncertainties in predictions by a photochemical grid model (UAM-IV) due to uncertainties in input variables. *Atmospheric Environment* 32 (21), p.3619–3628.
 170. Hecht-Nielsen, R., (1987a). Counterpropagation networks. *Applied Optics*, 26, p. 4979-4984.
 171. Hecht-Nielsen, R., (1987b). Kolmogorov’s mapping neural network existence theorem. *First IEEE International Joint Conference on Neural Network*, p.11-14.
 172. Hedden, K.F., Mulkey, L.A. and Tucker, W.A., (1982). Application of Multimedia Exposure Assessment to Drinking Water. *Environmental Monitoring and Assessment* 2, p.57-69.

173. Helena, B., Pardo, R., Vega, M., Barrado, E., Fernandez, J.M., Fernandez, L., (2000). Temporal evaluation of groundwater composition in an alluvial aquifer (Pisuerga river, Spain) by principal component analysis. *Water Research* 34, 807-816.
174. Hellawell, J.M., (1986). *Biological indicators of freshwater pollution and environmental management*. London, Elsevier.
175. Helsel, D.R., and Hirsch, R.M., (1992). *Statistical methods in water research*. Elsevier: Amsterdam, p.529.
176. Hepner, G.F., Logan, T., Ritter, N., and Bryant, N., (1990). Artificial Neural Network classification using a minimal training set: comparison to conventional supervised classification. *Photogrammetric Engineering and Remote Sensing*, 56, 469-473.
177. Hietel, E., Waldhardt, R. and Otte, A., (2004). Analysing land-cover changes in relation to environmental variables in Hesse, Germany. *Landscape Ecology* 19, p.473-489.
178. Hietel, E., Waldhardt, R. and Otte, A., (2007). Statistical modeling of land-cover changes based on key socio-economic indicators. *Ecological Economics* 62, p.496-507.
179. Hill, A.R., (1978). Factors affecting the export of nitrate-nitrogen from drainage basins in southern Ontario. *Water Research*, 12, p.1045-1057.
180. Hill, A.R., (1981). Stream phosphorus exports from watersheds with contrasting land uses in southern Ontario. *Water Resources Bulletin* 17(4), p.627-634.
181. Hill, T., Marquez, L., O'Connor, M. and Remus, W., (1994). Artificial neural network models for forecasting and decision making. *International Journal of Forecasting* 10, p.5-15.
182. Hirsch, R.M., and Slack J.R., (1984). A non-parametric test for seasonal data with serial dependence. *Water Resources Research*, 20(6), p.727-732.
183. Ho, K.L., (1992). Short Term Load Forecasting Using a Multilayer Neural Network with an Adaptive Learning Algorithm. *IEEE Trans. On Power Systems*, Vol. 7, No. 1, p.141-149.
184. Hodges, R.R., (1973). Helium and hydrogen in the lunar atmosphere. *J. Geophys. Res.* 78, p. 8055–8064.
185. Holloway, J.M. and Dahlgren, R.A., (2001). Seasonal and event-scale variations in solute chemistry for four Sierra Nevada catchments. *Journal of Hydrology* 250, p.106-121.
186. Hopfield, J. J., (1987). Learning algorithms and probability distributions in feed-forward and feed-back networks. *Proceeding of the National Academy of Sciences*, 84, p. 8429-8433.
187. Hornberger, G.M., Beven, K.J., Cosby, B.J. and Sappington, D.E., (1985). Shenandoah Watershed Study: Calibration of a topology-based, variable contributing area hydrological model to a small forested catchment. *Water Resour. Res.*, 21, p.1841-1850.
188. Hornik, K., Stinchcombe, M., and White, H., (1989). Multi-layer feedforward networks are universal approximators. *Neural Networks*, 2, p.359-366.

189. Horton, R.E., (1945). Erosional development of streams and their drainage basins. *Bulltein Geology Society American*, p.558-571.
190. Hotelling, H., (1933). Analysis of a complex of statistical variables into principal components. *Journal of Educational Psychology*, 24:417-441,498-520.
191. Howard, P.,J.,A., (1991). *An Introduction To Environmental Pattern Analysis*, The Parthenon Publishing Group Ltd.
192. Hsu, K., Gupta, H. V. and Sorooshian, S., (1995). Artificial neural network modeling of the rainfall-runoff process. *Wat. Resour. Res.*, 31, p. 2517-2530.
193. Hua, S.C., (2001). Putrajaya Wetlands-Data, Performance and Modelling. In Koh Hock Lye and Yahya Abu Hassan, *Ecological Environmental Modelling (ECOMOD 2001): Proceedings of the National Workshop*, 3-4 September, USM, p.207-211.
194. Hubick, K.T., (1992). *Artificial neural networks in Australia*. Department of Industry, Technology and Commerce, Commonwealth of Australia, Canberra.
195. Hupp, A.M., Marshall, L.J., Campbell, D.I., Smith, R.W. and McGuffin, V.L., (2008). Chemometric analysis of diesel fuel for forensic and environmental applicatios. *Analytica Chimica Acta* 606, p.159-171.
196. Huwe, B. and Totsche, K.U., (1995). Deterministic and stochastic modeling of Water, Heat and Nitrogen Dynamics on different scales with WHNSIM. *Journal of Contaminant Hydrology*, 20, p.265-284.
197. Hydrocomp Inc., (1996). Hydrologic Simulation Program – Fortran. <http://www.epa.gov/epa ceam>
198. Idris, K.M. and Ahmad, A.M., (2002). Program Pencegahan dan Peningkatan Kualiti Air Sungai Langat. In Mazlin Mokhtar, Shahrudin Idrus, Ahmad Fariz Mohamed, Abdul Hadi Arman Shah and Sarah Aziz Abdul Ghani Aziz, *Proceedings Langat Basin Research Symposium 2001*. Institute for Environmental and Development, Universiti Kebangsaan Malaysia, Bangi.
199. Imbernon, J., (1999). Pattern and development of land-use changes in the Kenyan highlands since the 1950s. *Agriculture Ecosystems & Environment* 76, p.67-73.
200. Ines, A.V.M. and Droogers, P., (2002). Inverse modeling to quantify irrigation system characteristics and operational management. *Irrigation and Drainage Systems* 16, p.233-252.
201. Institute of Terrestrial Ecology, (1978). *Upland land use in England and Wales*. (CCP 111). Cheltenham. Countryside Commission.
202. Izsák, J., (2007). Parameter dependence of correlation between the Shannon index and members of parametric diversity index family. *Ecological Indicators* 7, p.181-194.
203. Jain, A. and Indurthy, S. K. V.P., (2003). Comparative Analysis of Event-based Rainfall-runoff Modeling Techniques-Deterministic, Statistical, and Artificial Neural Networks, *Journal of Hydrologic Engineering*, 8, p. 93-98.
204. Jain, A. K. and Dubes, R. C. (1988) *Algorithms for Clustering Data*. Prentice Hall, Englewood Cliffs, NJ.

205. James, F.C. and McCulloch, C.E., (1990). Multivariate analysis in ecology and systematics: panacea or Pandora's box? *Ann. Rev. Ecol. Syst.* 21, p.129-166.
206. Jardine, N. and Sibson, R. (1971). *Mathematical Taxonomy*. Wiley, London.
207. Jenerette, G., D., Lee, J., Waller, D.,W., and Carlson, R., E., (2002). Multivariate Analysis of the Ecoregion Delineation for Aquatic Systems. *Environmental Management* Vol. 29, 1, pp.67-75.
208. Jiang, D., Zhang, Y., Hu, X., Zeng, Y., Tan, J. And Shao, D., (2004). Progress in developing an ANN model for air pollution index forecast. *Atmospheric Environment* 38, p.7055-7064.
209. Jiang, T., Su, B. and Hartmann, H., (2007). Temporal and spatial trends of precipitation and river flow in the Yangtze River Basin, 1961-2000. *Geomorphology* 85, p.143-154.
210. Johnson, L.B. and Gage, S.H., (1997). Landscape approaches to the analysis of aquatic ecosystems. *Freshwater Biology* 37, p.113-132.
211. Johnson, L.B., Richards, C., Host, G.E., and Arthur, J.W., (1997). Landscape influences on water chemistry in Midwestern stream ecosystems. *Freshwater Biology*, 37, p.193-208.
212. Johnson, R.A. and Wichern, D.W., (1992). *Applied Multivariate Statistical Analysis*, 3rd ed., Prentice-Hall Int., New Jersey.
213. Johnston, C.A., Detenbeck, N.E. and Niemi, G.J., (1990). The cumulative effect of wetlands on stream water quality and quantity: a landscape approach. *Biogeochemistry* 10, p.105-141.
214. Jones, A. and Clark., J., (1997). Driving Forces behind European Land Use Change: An Overview. In *The User Needs for More Harmonized Land Use Information at the National and EU Level*. Report on the CLAUDE workshop, Wageningen, The Netherlands, 22-23 May, 1997. CLAUDE (Coordinating Land Use and Cover Data and Analyses in Europe), Concerted Action, EC, DGXII, p. 24-31.
215. Jones, M.P., (1996). Indicator and stratification methods for missing explanatory variables in multiple linear regression. *Journal of the American Statistical Association*, 91, p.222-230.
216. Jordan, M., M., Mateu, J., and Boix, A., (1998). A Classification Of Sediment types On statistical Multivariate Techniques. *Water, Air and Soil Pollution* 107, pp.91-104.
217. Joy, J.P., (2000). Mineral resource flows in the Langat Basin. In Mohd Nordin Hj. Hassan. (ed.). *Langat Basin ecosystem health. Proceeding of the 1999 Langat Basin research symposium*. Institute Alam Sekitar dan Pembangunan LESTARI. Universiti Kebangsaan Malaysia. p.115-126.
218. Jung, K.-W., Lee, S.-W., Hwang, H.-S. and Jang, J.-H., (2008). The effects of spatial variability of land use on stream water quality in a coastal watershed. *Paddy Water Environ.* 6, p.275-284.
219. Kadioğullari, A.I. and Başkent, E.Z., (2007). Spatial and temporal dynamics of land use pattern in Eastern Turkey: a case study in Gümüşhane. *Environ. Monit. Assess.*, 138, p.289-303.

220. -Kallio, M.P., Mujunen, S.-P., Hatzimihalis, G., Koutoufides, P., Minkkinen, P., Wilkie, P.J. and Connor, M.A., 1999. Multivariate data analysis of key pollutant in sewage samples: a case study. *Analytica Chimica Acta* 393, p.181-191.
221. Kamal, M.M., Malmgren-Hansen, A. and Badruzzaman, A.B.M., (1999). Assessment of pollution of the River Buriganga, Bangladesh, using a water quality model. *Wat. Sci. Tech.*, 40,p.129-136.
222. Kannel, P.R., Lee, S., Kanel, S.R. and Khan, S.P., (2007). Chemometric application in classification and assessment of monitoring locations of an urban river system. *Analytica Chimica Acta* 582, p.390-399.
223. Karn, S.K. and Harada, H., (2001). Surface Water Pollution in Three Urban Territories of Nepal, India, and Bangladesh. *Environmental Management* Vol. 28, No. 4, p. 483–496.
224. Karnin, E.D., (1990). A simple procedure for pruning back-propagation trained neural networks. *EEE Trans. Neural Networks*, 1, p.239-242.
225. Karunanithi, N., Grenney, W. J., Whiley, B., and Bovee, K., (1994). Neural Networks for River Flow Prediction. *Journal Computing in Civil Engineering*, 8, p.201-209.
226. Kelso, B.H.L., Smith, R.V., Laughlin, R.J. and Lennox, S.D., (1997). Dissimilatory nitrate reduction in anaerobic sediments leading to river nitrite accumulation. *Applied and Environmental Microbiology*, 63, p.4679-4685.
227. Kendall, M.G., (1975). *Rank Correlation Methods*. 4th ed. Charles Griffin, London.
228. Kim, J.-O., and Mueller, C.W., (1987). Introduction to factor analysis: what it is and how to do it. *Quantitative Applications in the Social Sciences Series*. Sage University Press, Newbury Park.
229. Koh, K.H., (1978). *Sungai Lui Representative Basin for 1974/75 to 1975/76*. Water Resources Publication No. 9. DID. Kuala Lumpur.
230. Kohonen, T., (1982). Self-organized formation of topologically correct feature maps. *Biological Cybernetics*, 43, p.59-69.
231. Kojiri, T and Teramura, T., (2003). Integrated River Basin Environment Assessment and Planning Through Hybrid Processes. XI IWRA World Water Congress.
232. Koomen, E., Rietveld, P., and de Nijs, T., (2008). Modelling land-use change for spatial planning support. *The Annals of Regional Science* 42, p.1-10.
233. Kovalishyn, V.V., Tetko, I.V., Luik, A.I., Kholodovych, V.V., Villa, A.E.P., and Livingstone, D.J., 1998. Neural Network studies. 3. Variable selection in the cascade-correlation learning architecture. *J. Chem. Inf. Comput. Sci.*, 38, p.651-659.
234. Kowalkowski, T., Zbytniewski, R., Szpejna, J., and Buszewski, B., (2006). Application of chemometrics in river classification. *Water Research* 40, p.744.
235. Kralisch, S., Fink, M., Flugel, W.-A. and Beckstein, C., (2003). A neural network approach for the optimization of watershed management. *Environmental Modelling & Software*, 18, p.815-823.

236. Kristensen, P. S. (2003). Multivariate analysis of landscape changes and farm characteristics in a study area in central Jutland, Denmark. *Ecological Modelling* 168, p.303-318.
237. Kuo, J.-T., Wang, Y.-Y. And Lung, W.-S., (2007a). A hybrid neural-genetic algorithm for reservoir water quality management. *Water Research* 40, p.1367-1376.
238. Kuo, J.-T., Hsieh, M.-H., Lung, W.-S. And She, N., (2007b). Using artificial neural network for reservoir eutrophication prediction. *Ecological Modelling*, 200, p.171-177.
239. Lamb, R., Beven, K. and Myrabo, S., (1998). Use of spatially distributed water table observations to constrain uncertainty in a rainfall-runoff model. *Advances in Water Resources*, 22, p.305-317.
240. Lambin, E.F., Baulies, X., Bockstael, N., Fischer, G., Krug, T., Leemans, R., Moran, E.F., Rindfuss, R.R., Sato., Y., Skole, D., Turner, B.L. II, and Vogel, C., (1999). *Land-use and land-cover change (LUCC): Implementation strategy*. IGBP Report No. 48, IHDP Report No. 10, Stockholm, Bonn.
241. Lambin, E.F., Turner, B.L., Geist, H.J., Agbola, S.B., Angelsen, A., Bruce, J.W., Coomes, O.T., Dirzo, R., Fischer, G., Folke, C., George, P.S., Homewood, K., Imbernon, J., Leemans, R., Li, X., Moran, E.F., Mortimore, M., Ramakrishnan, P.S., Richards, J.F., Skanes, H., Steffen, W., Stone, G.S., Svedin, U., Veldkamp, T.A., Vogel, C., and Xu, J., (2001). The causes of land-use and land-cover change: moving beyond the myths. *Global Environmental Change* 11, p.261-269.
242. Land Survey Report, (1974). *Annual Report*. Kuala Lumpur.
243. Lausch, A. and Herzog, F., (2002). Applicability of landscape metrics for the monitoring of landscape change: issues of scale, resolution and interpretability. *Ecological indicators*, 2, p.3-15.
244. LeBlanc, R.T., Brown, R.D. and FitzGibbon, J.E., (1997). Modeling the effects of land use change on the water temperature in unregulated urban streams. *Journal of Environmental Management* 49, p.445-469.
245. Lee, C.F., Hsiao, J.H., Cheng, S.J. and Hsieh, H., (2007). Identification of Regional Air Pollution Characteristic and the Correlation with Public Health in Taiwan. *Int. J. Environ. Res. Public Health* 4(2), p.106-110.
246. Lee, Y., (1992). Short-Term Load Forecasting Using an Artificial Neural Network. *IEEE Trans. On Power Systems*, Vol.7, No.1, p.124-131.
247. Lee, Y.H., Mazlin Mokhtar, Rohani Ahmad and Pereira, J.J., (2004). Develops Indicators for Effluent Pollution and Ecosystem Health Assessment of the Langat River Basin. In Mazlin Mokhtar, Shaharudin Idrus and Sarah Aziz Abdul Ghani. *Proceedings Of The 2003 Langat Basin Ecosystem research Symposium*. Penerbit LESTARI, UKM.
248. Lees, M.J., Camacho, L., and Whitehead, P., (1998). Extension of the QUASAR river water quality model to incorporate dead-zone mixing. *Hydrology and Earth Systems Sciences*, 2(2-3), p.353-365.
249. Le Cun, Y., Denker, J.S., and Solla, S.A., (1990). Optimal Brain Damage. In D.S. Touretzky (Ed.), *Advances in Neural Information Processing Systems*, Volume 2, Morgan Kaufman, San Mateo, California. p.598-605.

250. Legendre, P. and Legendre, L., (1998). *Numerical ecology*. Amsterdam, Elsevier.
251. Lek, S., Delacoste, M., Baran, P., Dimopoulos, I., Lauga, J., and Aulagnier, S., (1996). Application of neural networks to modelling non-linear relationship in ecology. *Ecological Modelling* 90 (1), p.39–52.
252. Lek, S., Guiresse, M. and Giraudel, J.-L., (1999). Predicting stream nitrogen concentration from watershed features using neural networks. *Water Research*, Vol.33, No.16, p.3469-3478.
253. Lenat, D.R. and Crawford, J.K., (1994). Effects of land use on water quality and aquatic biota of three North Carolina Piedmont streams. *Hydrobiologia* 294(3),p.185-200.
254. Leonard, J.A., Kramer, M.A. and Ungar, L.H., (1992). A neural network architecture that computes its own reliability. *Comput. Chem. Eng.*, 16, p.819-835.
255. Levine, D.M., Ramsey, P.P., and Smidt, R.K., (2001). *Applied Statistics For Engineers and Scientists: Using Microsoft Excel and Minitab*. Prentice Hall Int., Inc.
256. Lew, C.S., Mills, W.B., Wilkinson, K.J. and Gherini, S.A., (1996). RIVRISK: A Model to Assess Potential Human Health and Ecological Risks from Chemical and Thermal Releases into Rivers. *Water, Air and Soil Pollution*, 90, p.123-132.
257. Li, H., (1990). *Spatio-temporal pattern analysis of managed forest landscape: a simulation approach* [dissertation]. Oregon State University, Corvallis, p.166.
258. Li, H. and Reynolds, J.F., (1994). A simulation experiment to quantify spatial heterogeneity in categorical maps. *Ecology*, 75, p.2446-2455.
259. Li, H. and Wu, J., (2004). Use and misuse of landscape metrics. *Landscape Ecol.* 19, p.389-399.
260. Lim, K.J., Engel, B.A., Tang, Z., Choi, J., Kim, K.-S., Muthukrishnan, S. and Tripathy, D., (2005). Automated Web GIS Based Hydrograph Analysis Tool, WHAT. *Journal of the American Water Resources Association*, p.1407-1416.
261. Lim, K.J. and Engel, B.A., (2004). WHAT: Web-Based Hydrograph Analysis Tool. Available at <http://pasture.ecn.purdue.edu/~what>. Accessed in February 2007.
262. Lin, H., (2001). Discharge water quality models of storm runoff in a catchment. *Wuhan University Journal of Natural Sciences*, p.371-378.
263. Little, R.J.A. and Rubin, D.B., (1987). *Statistical analysis with missing data*. New York, Wiley.
264. Lischeid, G. and Uhlenbrook, S., (2003). Checking a process-based catchment model by artificial neural networks. *Hydrological Processes* 17, p.265-2777.
265. Li, X. And Yeh, A.G.O., (2002). Neural-network-based Cellular Automata for Realistic and Idealized Urban. *Acta Geographica*, 57(2), p.159-166.
266. Liu, A., Tong, S.T.Y. and Goodrich, J.A., (2000). Land use as a mitigation strategy for the water-quality impacts of global warming: a scenario analysis on two watersheds in the Ohio River Basin. *Environ. Eng. Policy* 2, p.65-76.

267. Liu, C.W., Lin, K.H., and Kuo, Y.M., (2003). Application of factor analysis in the assessment of groundwater quality in a Blackfoot disease area in Taiwan. *Science in the Total Environment* 313, p.77-89.
268. Longley, W.L. (Ed.), (1994). *Freshwater Inflows to Texas Bays and Estuaries*. Texas Water Development Board, Austin.
269. Lowe, D. and Zapart, C., (1999). Point-Wise Confidence Interval Estimation by Neural Networks: A Comparative Study based on Automotive Engine Calibration. *Neural Computing & Applications*, Vol. 8, p.77-85.
270. Lu, X.X., (2004). Vulnerability of water discharge in large Chinese rivers. *Regional Environmental Change*, 4, p.182-191.
271. Lu, X.X., Ashmore, P., and Wang, J., (2003). Seasonal water discharge and sediment load changes in the Upper Yangtze, China, *Mountain Research and Development*, 23, p.56-64.
272. Ludwig, J., A., and Reynolds, J., S., (1988). *Statistical Ecology: A primer on methods and computing*. John Wiley and Sons, USA.
273. Ma, H., (2002). Using stochastic risk assessment in setting information priorities for managing dioxin impact from a municipal waste incinerator. *Chemosphere* 48, p.1035–1040.
274. Maier, H. R. and Dandy, G. C., (1996). The Use of Artificial Neural Networks for the Prediction of Water Quality Parameters. *Water Research*, 32, p.1013-1022.
275. Maier, H. R. and Dandy, G. C., (1997). Determining inputs for neural network models of multivariate time series. *Microcomputers in Civil Engineering* 12, p.353-368.
276. Maier, H.R., Dandy, G.C. and Burch, M.D., (1998). Use of artificial neural networks for modelling cyanobacteria *Anabaena* spp. in the River Murray, South Australia. *Ecological Modelling* 105, p.257–272.
277. Maier, H. R. and Dandy, G. C., (1999). Empirical comparison of various methods for training feed-forward neural networks for salinity forecasting. *Water Resource Research*, 35, p.2591-2596.
278. Maier, H. R. and Dandy, G. C., (2000). Neural networks for the prediction and forecasting of water resources variables: a review of modeling issues and applications. *Environmental Modelling & Software*, 15, p. 101-124.
279. Maketab Mohamed, (2001). QUAL2E Water Quality Model Calibration and Validation Methods for Sungai Selangor. In Koh Hock Lye and Yahya Abu Hassan, *Ecological Environmental Modelling (ECOMOD 2001): Proceedings of the National Workshop*, 3-4 September, USM, p.190-197.
280. Maksimovic, C. and Tucci, C., (2001). Urban drainage in specific climates. IHP-V. *Technical documents in Hydrology*, Vol. 1, 40, UNESCO Paris.
281. Mann, H.B., (1945). Non-Parametric tests against trend. *Econometrica* 13, p 245-259.
282. Markus, M., M., Tsai, C.W.-S. and Demissie, M., (2003). Uncertainty of Weekly Nitrate-Nitrogen Forecasts Using Artificial Neural Networks. *Journal of Environmental Engineering*, Vol. 129, 3, p.267-274.

283. Marengo, E., Gennaro, M.C., Giacosa, D., Abrigo, C., Saini, G. And Avignone, M.T., (1995). Chemometrics can helpfully assist in evaluating environmental data. Lagoon water. *Analytica Chimica Acta* 317, p.53-63.
284. Maron, M. and Lill, A., (2004). Discrimination among potential buloke (*Allocasuarine luehmannii*) feeding trees by the endangered south-eastern red-tailed black cockatoo (*Calyptorhynchus banksii graptogyne*). *Wildlife Res.*, 31, p.311-317.
285. Masters, T., (1993). *Practical Neural Network Recipes in C++*. Academic Press, San Diego, CA.
286. Massart, D.L., Kaufman, L., (1983). *The interpretation of analytical data by the use of cluster analysis*. Wiley, New York.
287. Massart, D.L., Vandeginste, B.G.M., Deming, S.N., Michotte, Y. and Kaufmann, L., (1988). *Chemometrics: a Textbook*. Elsevier, Amsterdam.
288. Massart, D.L., Vandeginste, B.G.M., Buydens, L.M.C., De Jong, S., Lewi, P.J., and Smeyers-Verbeke, J., (1997). *Handbook of chemometrics and qualimetrics; data handling in science and technology*. Parts A and B, vols. 20A and 20B. Elsevier: Amsterdam.
289. Masser, I., (2001). Managing our urban future: the role of remote sensing and geographic information systems. *Habitat International* 25, p.503-512.
290. Matsushita, B., Xub, M. and Fukushima, T., (2006). Characterizing the changes in landscape structure in the Lake Kasumigaura Basin, Japan using a high-quality GIS dataset. *Landscape and Urban Planning*, 78, p.241–250.
291. Mazlin Mokhtar and Ahmad Fariz Mohamed, (2003). Ecosystem Health of the Langat Basin: Multidisciplinary Perspectives. *Proceeding Of The 2003 Research Symposium on Ecosystem Of The Langat Basin*, p. 155-176.
292. Mazlin Mokhtar, and Sarah Aziz. A. Ghani Aziz. (2003). Integrated coastal zone management using the ecosystems approach, some perspectives in Malaysia. *Ocean & Coastal Management, Volume 46 (5):* 407 – 419. ISSN 0964 – 5691.
293. Mazlin Mokhtar, Rahmah Elfithri and Abdul Hadi Harman Shah. (2004a). Collaborative Decision Making as a Best Practice in Integrated Water Resources Management: A Case Study on Langat Basin, Malaysia. *Proceedings (Technical Papers), First Southeast Asia Water Forum, 17-21 November 2003, Chiang Mai, Thailand, Volume 2:* pp. 333-354. ISBN 974-241-776-8.
294. Mason, C.F., (1996). *Biology of Freshwater Pollution*. Longman.
295. Matthews, P.J., (1996). Water Quality Objectives: A Tool to Ensure Environmental Protection and Wise Expenditure. *Wat. Sci. Tech.*, 32, p.7-14.
296. Mazlin Mokhtar, Rahmah Elfithri and Abdul Hadi Harman Shah. (2004b). Collaborative Decision Making in the Langat River Basin: Potential Indicators for Management of Water Resources. In Aminuddin Ab. Ghani, Nor Azazi Zakaria, Rozi Abdullah & Mohd Sanusi S. Ahamad (Ed.). 2004. *Rivers'04. Proceedings of the 1st International Conference on Managing Rivers in the 21st Century: Issues & Challenges. 21-23 September 2004*. River Engineering and Urban Drainage Research Centre (REDAC), Engineering Campus, Universiti Sains Malaysia. ISBN 983-3067-08-5, p. 370 – 374.

297. Mazlin Mokhtar, Shaharudin Idrus, and Sarah Aziz, (2004c). Penyunting. Kesehatan Ekosistem Lembangan Langat: Prosiding Simposium Penyelidikan Lembangan Langat 2003. (Editors. *Ecosystem Health of The Langat Basin. Proceedings of the Langat Basin Research Symposium 2003*), Penerbit LESTARI UKM, 43600 UKM Bangi, Selangor, Malaysia. ISBN 983-9444-56-5. 290 halaman.
298. Mazlin Mokhtar, Ahmad Fariz Mohamed and Shaharuddin Idrus, (2002). Preliminary Survey of Groundwater Resources in The Langat Basin: Towards a Sustainable Healthy Ecosystem. In Mazlin Mokhtar, Shaharuddin Idrus, Ahmad Fariz Mohamed, Abdul Hadi Arman Shah and Sarah Aziz Abdul Ghani Aziz, *Proceedings Langat Basin Research Symposium 2001*. Institute for Environmental and Development, Universiti Kebangsaan Malaysia, Bangi.
299. Mazlum, N., Özer, A. and Mazlum, S., (1999). Interpretation of water quality data by principal components analysis. *Turkish Journal of Engineering and Environmental Sciences*, 23, p.19-26.
300. McAllister, T.L., Overton, M.F. and Brill, Jr.E.D., (1996). Cumulative Impact of Marinas on Estuarine Water Quality. *Environmental Management*, Vol. 20, No. 3, p.385-396.
301. McBratney, A.B., Mendonca Santos, M.L. and Minasny, B., (2003). On digital soil mapping. *Geoderma* 117, p.3-52.
302. McCulloch, W. and Pitts, W.H., (1943). A logical calculus of the ideas immanent in nervous activity. *Bull. Math. Biophys.* 5, p.115–133.
303. McFarland, A. M., and Hauck, S.L., (1999). Relating Agricultural land uses to In-Stream Stormwater Quality. *Journal of Environmental Quality* 28(3), p.836-844.
304. McGarigal, K. And Marks, B., (1995). FRAGSTATS: Spatial Pattern Analysis Program for Quantifying Landscape Structure. *USDA Forest Service General Technical Report PNW-GTR-351*. Pacific Northwest Research Station, Portland.
305. McKenna Jr., J.E., (2003). An enhanced cluster analysis program with bootstrap significance testing for ecological community analysis. *Environmental Modelling & Software* 18 (3), p.205-220.
306. Mein, R.G. and Goyen, A.G., (1988). Urban Runoff. *Civil Engineering Transactions*, Institution of Engineers Australia CE30, p.225-238.
307. Merdun, H., Çinar, Ö, Meral, R, Apan, M., (2006). Comparison of artificial neural network and regression pedotransfer functions for prediction of soil water retention and saturated hydraulic conductivity. *Soil & Tillage Research* 90, p.108-116.
308. Meyer, W.B., Turner, B.L., (2007). *Changes in land use and land cover*. Cambridge University Press, Cambridge.
309. Meynendonckx, J., Heuvelmans, G., Muys, B. and Feyen, J., (2006). Effects of watershed and riparian zone characteristics on nutrient concentrations in the River Scheldt Basin. *Hydrology and Earth System Sciences*, 10, p.913-922.
310. Minns, A.W., and Hall, M.J., (1996). Artificial neural networks as rainfall-runoff models. *Hydrological Sciences*, 41, p.399-417.

311. Miyabara, Y., Suzuki, J. and Suzuki, S., 1994. Classification of urban rivers on the basis of water pollution indicators in river sediment. *Bulletine Environmental Contamination Toxicology* 52, p.1-8.
312. Moatar, F., Fessant, F. and Poirel, A., (1999). pH modeling by neural networks. Application of control and validation data series in the Middle Loire river. *Ecological Modelling*, Vol. 120, Issues 2-3, p.141-156.
313. Mohd. Ekhwan Toriman and Hafizan Juahir, (2003). Artificial Neural Network Modelling For Langat River Discharge: Implication For River Restoration. *Pertandingan Minggu Penyelidikan dan Inovasi UKM*, Pusat Pengurusan Penyelidikan, 3-5 Julai.
314. Mohd Kamil Yusoff, Lean, C.C., Rosta Harun and Azizi Muda, (2004). Non Point Source Pollution Loading Modelling at Sg. Teris Besar, Negeri Sembilan, Malaysia. In Alias Abdulla, Mohd Kamil Yusoff and Okada, N., *Water Environmental Planning Towards Integrated and Management of Water Resources for Environmental Risks*. Bureau of Consultancy & Entrepreneurship, UIA: Kuala Lumpur, p.451-460.
315. Mohd Nordin Hassan, (2000). Penyelidikan Ekosistem Lembangan Langat: Pendekatan Holistik Berlandas Konsep Kesihatan Ekosistem in *Proceedings of The 1999 Langat Basin Resesarch Symposium*. Mohd Nordin Hj. Hassan Ed. Institute for Environment and development (LESTARI), UKM, Bangi.
316. Mohd Zubir Mat Jafri, Khiruddin Abdullah, Zubir Din and Md Noordin Abu Bakar, (2001a). Pemodelan Kandungan Klorofil di Selat Pulau Pinang Menggunakan Data Penderiaan Jauh. In Koh Hock Lye and Yahya Abu Hassan, *Ecological Environmental Modelling (ECOMOD 2001): Proceedings of the National Workshop*, 3-4 September, USM, p.207-211.
317. Mohd Zubir Mat Jafri, Khiruddin Abdullah, Zubir Din and Md Noordin Abu Bakar, (2001b). Pemodelan Pencemaran Laut Menggunakan Data Penderiaan Jauh. In Koh Hock Lye and Yahya Abu Hassan, *Ecological Environmental Modelling (ECOMOD 2001): Proceedings of the National Workshop*, 3-4 September, USM, p.212-217.
318. Momen, B., Eichler, L.W., Boylen, C.W. and Zehr, J.P., (1996). Application of multivariate statistics in detecting temporal and spatial patterns of water chemistry in Lake George, New York. *Ecological Modelling*, 91, p.183-192.
319. Muttil, N. and Chau, K.,-W., (2007). Machine-learning paradigms for selecting ecologically significant input variables. *Engineering Application of Artificial Intelligence* 20, p.735-744.
320. Mykura, H.F., (1989). Erosion of Humid Tropical Construction Sites, Kuala Lumpur, Malaysia. *Unpublished Ph.D. Thesis*. Department of Geography. University of Manchester.
321. Nath, S. K., Patra, H. P., and Shahid, S., (2000). *Geophysical Prospecting for Groundwater*. Oxford and IBH Publishing Co. Pvt. Ltd., New Delhi, pp. 256.
322. Neel, M.C., McGarigal, K. and Chusman, S.A., (2004). Behaviour of class-level metrics across gradients of class aggregation and area. *Landscape Ecol.* 19, p.435-455.

323. Neill, M., (1989). Nitrate concentrations in river waters in the south-east of Ireland and their relationship with agricultural practice. *Water Research*, 23, p.1339-1355.
324. Ng, A.W.M., Takyi, A.K. and Perera, B.J.C., (1999). Evaluation of water quality management policies for the Yarra River basin. Proceedings of the Water 99 Joint Congress, Brisbane, Australia, p. 864-869.
325. Ng, L.L. and Koh, H.L., (2001). Coastal Reclamation and Artificial Island: Hydrodynamic and Water Quality Modelling. In Koh Hock Lye and Yahya Abu Hassan, *Ecological Environmental Modelling (ECOMOD 2001): Proceedings of the National Workshop*, 3-4 September, USM, p.218-225.
326. Ngoye, E., and Machiwa, J.F., 2004. The influence of land-use patterns in the Ruvu river watershed on water quality in the river system. *Phys. Chem. Earth* 29, p.1161-1166.
327. Ni, Y. and Wang, Y., (2007). Application of chemometric methods to the simultaneous kinetic spectrophotometric determination of iodate and periodate based on consecutive reactions. *Microchemical Journal* 86, p.216-226.
328. Nix, P.G. and Merry, C.H., (1990). Use of sediment bags as a monitor of fecal pollution in streams. *Bulletine Environmental Contamination Toxicology* 45, p.864-869.
329. Norazuan M. Hashim., Ruslan Rainis, Hafizan Juahir, Sharifuddin M. Zain and Nazari Jaafar, (2003). GIS application in evaluating land use-land cover change and its impact on hydrological regime in Langat River Basin, Malaysia. presented in 2nd Annual Asian Conference of Map Asia 2003, 17-19, Oct., PWTC Kuala Lumpur.
330. Norazuan M. Hashim., Ruslan Rainis, Hafizan Juahir, Sharifuddin M. Zain and Nazari Jaafar, (2003). GIS application in evaluating land use-land cover change and its impact on hydrological regime in Langat River Basin, Malaysia. presented in 2nd Annual Asian Conference of Map Asia 2003, 17-19, Oct., PWTC Kuala Lumpur.
331. Nordin Abd Kadir Bakti, (1990). Systems Optimization Approach in Formulating Effluent Standard for Sustainable Development. *The Planter*, 66, p.768.
332. Norreys, R. and Cluckie, I., (1996). Real Time Assessment of Transient Spills (RATS). *Wat. Sci. Tech.*, 33,p.187-198.
333. Odeh, I.O.A., Crawford, M., and McBratney, A.B., (2007). Digital Mapping of Soil Attributes for Regional and Catchment Modelling, Using Ancillary Covariates, Statistical and Geostatistical Techniques. In Lagacherie, P., McBratney, A.B. and Voltz, M. (eds), *Developments in Soil Science*, Vol. 31, Elsevier B.V., New York.
334. Oii, J.B., (1963). *Peninsular Malaysia*. London.
335. Omernik, J.M., (1976). *The influence of land use on stream nutrient levels*. Environmental Protection Agency 600/3-88/037.
336. Omernik, J.M., (1977). Non-point source-stream nutrient level relationships: a nationwide study. U.S. Environmental Protection Agency Ecological Research Series EPA-60/3-77-105. U.S. Environmental Protection Agency. Corvallis, OR.

337. Omernik, J.M., Abernathy, A.R., and Male, L.M., (1981). Stream nutrient levels and proximity of agricultural and forest land to streams: some relationships. *Journal of Environmental Management*. 2, p.9-27.
338. Onkal-Engin, G., Demir, I., and Engin, S.N., (2004). Determination of the relationship between sewage odour and BOD by neural networks. *Environmental Modelling & Software* (Article In Press): <http://www.sciencedirect.com>
339. Osborne, L.L. and Wiley, M.J., (1988). Empirical relationships between land use/cover and stream water quality in an agricultural watershed. *Journal of Environmental Management* 26, p.9-27.
340. Otto, M., (1998). Multivariate methods. In: Kellner, R., Mermet, J.M., Otto, M., Widmer, H.M. (Eds), *Analytical Chemistry*. Wiley-VCH, Weinheim.
341. Owens, P.N. and Walling, D.E., (2002). The phosphorus content of fluvial sediment in rural and industrialized river basins. *Water Research*, 36(3), p.685-701.
342. Pan, D., Domon, G., de Blois S. and Bouchard, A. (1999). Temporal (1958-1993) and spatial patterns of land use changes in Haut-Saint-Laurent (Quebec, Canada) and their relation to landscape physical attributes. *Landscape Ecology* 14, p.35-52.
343. Park, S. S., and Lee, Y. S., (2002). A water quality modeling study of the Nakdong River, Korea. *Ecological Modelling*, 152, p.65-75.
344. Park, Y.S., Verdonshot, P.F.M., Chon, T.S. and Lek, S., (2003). Patterning and predicting aquatic macroinvertebrate diversities using artificial network. *Water Research* 37, p.1749-1758.
345. Park, S. S., and Uchrin, C. G., (1990). Water quality modeling of the lower south branch of the Raritan River, New Jersey. *Bulletin of N. J. Academy of Science* 35 (1), p.17-23.
346. Patil, G.P. and Taillie, C., (1982). Diversity as a concept and its measurement. *Journal American Statistical Association* 77/379, p.548-561.
347. Patrick Wong, M.A., (2004). Watershed Topographic Modeling. In Alias Abdullah, Norio Okada and Mohd Kamil Yusoff, *Water Environmental Planning: Towards integrated planning and management of water resources for environmental risks*, Bureau of Consultancy & Entrepreneurship, IIUM, p.325-340.
348. Peddle, D.R., Foody, G.M., Zhang, A., Franklin, S.E., and Ledrew, E.F., (1994). Multisource image classification II: An empirical comparison of evidential reasoning and neural network approaches. *Canadian Journal of Remote Sensing*, 12, p.277-302.
349. Peierels, B.L., Caraco, N.F., Pave, M.L., and Cole, J.J., (1991). Human influence on river nitrogen. *Nature* 350, p.386-387.
350. Perkins, R.G., and Underwood, G.J.C., (1999). Gradients of *Chlorophyll-a* and water chemistry along an eutrophic with determination of the limiting nutrient by in situ nutrient addition. *Water Res.* 34, p.713-724.
351. PORLA, (2000). *PORLA palm oil statistics 1999*. Ed. 19. Malaysia Ministry of Primary Industries.

352. Powell, M. J. D., (1987). Radial basis functions for multivariable interpolation: a review. In J. C. Mason and M. G. Cox (Eds.), *Algorithms for Approximation*, Clarendon Press: Oxford, p.143-167.
353. Powell, E.N., Klinck, J.M., Hofmann, E.E., McManus, M.A., (2003). Influence of water allocation and freshwater inflow on oyster production: a hydrodynamic-oyster population model for Galveston Bay, Texas, USA. *Environmental Management* 31, p.100-121.
354. Puncak Niaga Sdn. Bhd., (1997). *Annual Report*. Kuala Lumpur. Percetakan Bestari.
355. Qadir, A., Malik, R.N., Husain, S.Z., (2007). Spatio-temporal variations in water quality of Nullah Aik-tributary of the river Chenab, Pakistan. *Environmental Monitoring Assessment*, Vo.140, No.1-3, p.43-59.
356. Qian, S.S., Craig A. Stow, C.A., and Borsuk, M.E., (2003). On Monte Carlo methods for Bayesian inference. *Ecological Modelling* 159, p.269-277.
357. Rahmah Elfithri, Mazlin Mokhtar, Abdul Hadi Harman Shah and Shaharudin Idrus. (2004). The Management of Water Resources in Langat Basin, Malaysia. Conference on Water Management for Sustainable Environment. 25 and 26 August 2004. Hotel UiTM, Sham Alam, Selangor, Malaysia.
358. Rauch, W., Henze, M., Koncsos, L., Reichert, P., Shanahan, P., Somlyody, L., and Vanrolleghem, P., (1998). River water quality modeling: I. State of the art. *Wat. Sci. Tech.*, 38, p.237-244.
359. Read, J.M. and Lam, N.S.-N., (2002). Spatial methods for characterizing land cover and detecting land-cover changes for the tropics. *Int. J. Remote Sensing*, Vol. 23, 12, p.2457-2474.
360. Recknagel, F., Bobbin, J., Whigham, P., and Wilson, H., (2002). Comparative application of artificial neural networks and genetic algorithms for multivariate time-series modeling of algal blooms in freshwater lakes. *Journal of Hydroinformatics* 4(2), p.125-134.
361. Reghunath, R., Murthy, S. T.R., Raghavan, B.R., (2002). The utility of multivariate statistical techniques in hydrogeochemical studies: an example from Karnataka, India. *Water Research* 36, p.2437-2442.
362. Ren, W., Zhong, Y., Meligrana, J., Anderson, B., Watt, W.E., Chen, J. And Leung, H-K, (2003). Urbanization, land use, and water quality in Shanghai. *Environ. Int.* 29, p.649-659.
363. Richards, C., Johnson, L.B. and Host, G.E., (1996). Landscape scale influences on stream habitats and biota. *Canadian Journal of Fisheries Aquatic Science* 53, p.295-311.
364. Ricotta, C. and Szeidl, L., (2006). Towards a unifying approach to diversity measures: Bridging the gap between the Shannon entropy and Rao's quadratic index. *Theoretical Population Biology* 70, p.237-243.
365. Riitters, K.H., O'Neill, R.V., Hunsacker, C.T., Wickham, J.D., Yankee, D.H., Timmins, S.P., Jones, K.B. and Jackson, B.L., (1995). A factor analyses of landscape pattern and structure metrics. *Landscape Ecol.*, 10, p.23-39.
366. Riise, G., Lundekvam, H., Wu, Q.L., Haugen, L.E. and Mulder, J., (2004). Loss of pesticides from agricultural fields in SE Norway – runoff through

- surface and drainage water. *Environmental Geochemistry and Health* 26, p.269-276.
367. Ripley, B.D., (1994). Neural networks and related methods of classification. *Journal of the Royal Statistical Society, Series B* 56(3), p.409-456.
368. Roger, S., Montrejaud-Vignoles, M., Andral, M.C., Herremans, L. and Fortune, J.P., (1998). Mineral, Physical and Chemical Analysis of The Solid Matter Carried by Motorway Runoff Water. *Water Research*, Vol.32, No.4., p.1119-1125.
369. Rojas, R. (1955). *Neural networks: A Systematic introduction*, Springer-Verlag, Berlin, 427-448.
370. Rosnani Ibrahim, (2001). River Water quality Status In *Malaysia. Proceedings National Conference On Sustainable River Basin Management In Malaysia*, 13 & 14 November 2000, Kuala Lumpur, Malaysia.
371. Rumelhart, D. E., Hinton, E. and Williams, J., (1986). Learning internal representation by error propagation. *Parallel Distributed Processing*, 1, p. 318-362.
372. Ruslan Rainis, Kamarul Ismail and Hafizan Juahir, (2004). Modeling The Relationship Between River Water Quality Index (WQI) and Land Uses Using Artificial Neural Networks (ANN). Presented in *JSPS Seminar*, December 15-17, Kyoto, Japan.
373. Sabry, M.M.A., (1997). Surface erosion study in the granite area of Hulu Langat, Selangor D.E. Malaysia. *Unpublished Ph.D. Thesis*. Faculty of Social Science and Humanities. Universiti Kebangsaan Malaysia.
374. Saharudin Idrus, Abdul Hadi Harman Shah, and Ahmad Fariz Mohamed, (2004). Analyses of Land Use and Land Cover Changes 1974-2001 In Langat Basin, Malaysia Using Geographical Information System (GIS). In Mazlin Mokhtar, Shahrudin Idrus and Sarah Aziz Abdul Ghani. *Proceedings Of The 2003 Langat Basin Ecosystem research Symposium*. Penerbit LESTARI, UKM.
375. Saiful, A.A., (2000). Changes of forested areas and wildlife diversity in the Langat Basin. In Mohd Nordin Hj. Hassan. (ed.). *Langat Basin ecosystem health. Proceeding of the 1999 Langat Basin research symposium*. Institute Alam Sekitar dan Pembangunan LESTARI. Universiti Kebangsaan Malaysia. p.215-233.
376. Saini, L.M., (2008). Peak load forecasting using Bayesian regularization, Resilient and adaptive backpropagation learning based artificial neural networks. *Electric Power Systems Research* 78, p.1302-1310.
377. Salas, F., Marcos, C., Pérez-Ruzafa, A. And Marquez, J.C., (2005). Application of the exergy index as ecological indicator of organically enrichment areas in the Mar Menos lagoon (south-eastern Spain). *Energy* 30, p.2505-2522.
378. Sall, J., Creighton, L., and Lehman, A., (2005). *JMP Start Statistics: A Guide to Statistics and Data Analysis Using JMP and JMP IN Software*. 3rd. Ed., Brooks/Cole-Thomson Learning: Belmont.

379. Samad Hadi, (2000). Malaysian urbanization and the environment. Sustainable urbanization in the new millennium. *Environmental management programme*. Bangi. p. 76.
380. Sánchez, M.S. and Sarabia, L.A., (1995). Efficiency of multi-layered feed-forward neural networks on classification in relation to linear discriminant analysis, quadratic discriminant analysis and regularized discriminant analysis. *Chemometrics and intelligent laboratory systems* 28, p.287-303.
381. Sanders, T.G., Ward, R.C., Loftis, J.C., Steele, T.D., Adrian, D.D., Yevjevich, V., (1983). *Design of Networks for Monitoring Water Quality*. Water Resources Publications: Colorado.
382. Santos, M., Travassos, P., Repas, M. and Cabral, J.A., (2008). Modelling the performance of bird surveys in non-standard weather conditions: General applications with special reference to mountain ecosystems. *Ecological Indicators* (Article in Press). Available at www.elsevier.com/locate/ecolind
383. Sarle, W.S., (1994). Neural networks and statistical models. In *Proceedings of the Nineteenth Annual SAS Users Group International Conference*, SAS Institute: Cary, NC, p.1538-1550.
384. Sarle, W.S., (1995). Stopped training and other remedies for over-fitting. In *Proceedings of the 27th Symposium on the Interface of Computing Science and Statistics*, p.352-360.
385. Scardi, M., (2001). Advances in neural network modeling of phytoplankton primary production. *Ecological Modelling* 146, p.33-45.
386. Schlosser, I.J. and Karr, J.R., (1981). Water Quality in Agricultural Watersheds: Impact of Riparian Vegetation During Base Flow. *Water Resources Bulletin* 17, p.233-240.
387. Schroeder, P.R., Dozier, T.S., Zappi, P.A., McEnroe, B.M., Sjostrom, J.W., and Peyton, R.L., (1994). *The Hydrologic Evaluation of Landfill Performance (HELP) Model: Engineering Documentation for Version 3*. US Environmental Protection Agency, Office of Research and Development, Washington, DC. Report No. EPA/600/R-94/168b.
388. Schroeder, F., (1997). Water quality in the Elbe estuary: Significance of different processes for the oxygen deficit at Hamburg. *Environmental Modeling and Assessment* 2, p.73–82.
389. Schalkoff, R., (1992). *Pattern Recognition: Statistical, Structural and Neural Approaches*. New York, Wiley.
390. Schlink, U., Herbarth, O., Richter, M., Dorling, S., Nunnari, G., Cawley, G., and Pelikan, E., (2004). Statistical models to assess the health effects and to forecast ground-level ozone. *Environmental Modelling & Software*, in press.
391. Schlosser, I.J. and Karr, J.R., (1981). Riparian Vegetation and Channel Morphology Impact on Spatial Patterns of Water Quality in Agricultural Watershed. *Environmental Management* 5(3), p.233-243.
392. See, L. and Openshaw, S., (1998). Using soft computing techniques to enhance flood forecasting on the River Ouse. *Proceeding of the 1998 Hydroinformatics Conference*, Copenhagen Denmark.
393. Selangor State Government Administration Report (SSGA). (1940). *Annual Report*. Kuala Lumpur.

394. Selangor State Government Administration Report (SSGA). (1957). *Annual Report*. Kuala Lumpur.
395. Selangor State Government Administration Report (SSGA). (1960). *Annual Report*. Kuala Lumpur.
396. Selangor State Government Administration Report (SSGA). 1963. *Annual Report*. Kuala Lumpur.
397. Shanahan, P., Henze, M., Koncsos, L., Rauch, W., Reichert, P., Somlyody, L. and Vanrolleghem, P., (1998). River water quality modelling: II. Problems of the art. *Wat. Sci. Tech.*, 38, p.245-252.
398. Shannon, C., (1948). A mathematical theory of communication. *Bell Syst. Techn. J.* 27, p.379-423.
399. Shao, R., Martin, E.B., Zhang, J. and Morris, A.J., (1997). Confidence bounds for neural network representations. *Computers and Chemical Engineering*, 21, p.1173-1178.
400. Sharma, V., Negi, S.C., Rudra, R.P and Yang, S., 2003. neural networks for predicting nitrate-nitrogen in drainage water. *Agricultural Water Management* 63, p.169-183.
401. Shaw, E.M., (1994). *Hydrology in Practice*, 3rd ed. Chapman & Hall: New York.
402. Shiraris, M.P., Rex, A.C., Pettibone, G.W., Keay, K., McManus, P., Rex, M.A., Ebersole, J., and Gallagher, E., (1987). Distribution of indicator bacteria and *Vibrio parahaemolyticus* in sewage polluted intertidal sediments. *Appl. Environ Microbiology* 53, p.1756-1761.
403. Shrestha, S, and Kazama, F., (2007). Assessment of surface water quality using multivariate statistical techniques: A case study of the Fuji river basin, Japan. *Environmental Modelling & Software* 22, p.464-475.
404. Sidle, R.C. and Hornbeck, J.W., (1991). Cumulative Effects: A Broader Approach to Water Quality Research. *Journal of Soil and Water Conservation* 46, p.268-271.
405. Silverman, D., and Dracup, J.A., (2000). Artificial neural networks and long-range precipitation in California. *Journal of Applied Meteorology* 31(1), p.57-66.
406. Simeonov, V., Stefanov, S. and Tsakovski, S., (2000). Envirometrical Treatment of Water Quality Survey Data from Yantra River, Bulgaria. *Mikrochimica Acta* 134, p.15-21.
407. Simeonov, V., Einax, J.W., Stanimirova, I., and Kraft, J., (2002). Envirometric modeling and interpretation of river water monitoring data. *Anal Bioanal Chem* 374, p.898-905.
408. Simeonov, V., Stratis, J.A., Samara, C., Zachariadis, G., Voutsas, D., Anthemidis, A., Sofoniou, M. and Kouimtzis, Th., (2003). Assessment of the surface water quality in Northern Greece. *Water Research* 37, p.4119-4124.
409. Singh, K.P., Malik, A., Mohan, D., Sinha, S., and Singh, V.K., (2004). Chemometric data analysis of pollutants in wastewater – a case study. *Analytica Chimica Acta* 532, p. 15-25.

410. Singh, K.P., Malik, A., and Sinha, S., (2005). Water quality assessment and apportionment of pollution sources of Gomti River (India) using multivariate statistical techniques: a case study. *Analytica Chimica Acta* 35, p.3581-3592.
411. Skole, D.L., (1994). Data on Global Land-Cover Change: Acquisition, Assessment, and Analysis. In Meyer, W.B. and Turner II, B.L. (eds), *Changes in Land Use and Land Cover: A Global Perspective*, Cambridge: Cambridge University Press, p.437-471.
412. Sliva, L. and Williams, D.D., (2001). Buffer Zone Versus Whole Catchment Approaches To Studying Land Use Impact On River Water Quality. *Water Research*, Vol. 35, No. 14, p.3462-3472.
413. Sliva, L. and Williams, D.D., (2003). Buffer zone versus whole catchment approaches to studying land use impact on river water quality. *Water Research* 35, 14, p.3462-3472.
414. Smith, M., (1994). *Neural Networks for Statistical Modeling*. Van Nostrand Reinhold.
415. Smith, T.E. (1975). A Choice Theory of Spatial Interaction. *Regional Science and Urban Economics* 5: 137-176.
416. Smith, V.S., Chambers, R.M., and Hollibaugh, J.T. (1996). Dissolved and particulate nutrient transport through a coastal watershed-estuary system. *Journal Hydrology*, 176, p.181-203.
417. Smith, R.V., Burns, L.C., Doyle, R.M., Lennox, S.D., Kelso, B.H.L., Foy, R.H. and Stevens, R.J., (1997). Free ammonia inhibition of nitrification in river sediments leading to nitrite accumulation. *J. Environ. Qual.*, 26, p.1049-1055.
418. Sneath, P. H. A. and Sokal, R. R. (1973) *Numerical Taxonomy*. Freeman, San Francisco, CA.
419. Somlyódy, L., Brunner, P. H., Fenz, R., Kroiss, H., Lampert, C., and Zessner, M. (1997). Nutrient balances for Danube Countries. Executive Summary. <http://www.iwa.tuwien.ac.at/htmd2264/publikat/publis/danube.htm> , accessed 1.7.08.
420. Sousaa, S.I.V., Martins, F.G., Alvim-Ferraza, M.C.M. and Pereira, M.C., (2007). Multiple linear regression and artificial neural networks based on principal components to predict ozone concentrations. *Environmental Modelling & Software*, 22, p.97-103.
421. Strahler, A.N., (1957). Quantitative analysis of watershed geomorphology. *Trans. American Geography Union*, 38 (6), p.913-920.
422. Stone, M., (1974). Cross-validatory choice and assessment of statistical prediction. *Journal of the Royal Statistical Society*, B36, p.111-147.
423. Sudheer, K.P., Gosain, A.K., and Ramasastri, K.S., (2002). A data-driven algorithm for constructing artificial neural network rainfall-runoff models. *Hydrological Processes* 16, p.1325-1330.
424. Sudheer, K.P., Nayak, P.C & Ramasastri, K.S. (2003) Improving peak flow estimates in Artificial Neural Network river flow models. *Journal of Hydrological Processes*. 17, p.677-687.
425. Sullivan, D.A., Holdsworth, M.T., and Hlinka, D.J., (2004). Monte Carlo-based dispersion modeling of off-gassing releases from the fumigant metam-

- sodium for determining distances to exposure endpoints. *Atmospheric Environment* 38, p.2471–2481.
426. Tan, C.O. and Beklioglu, M., (2005). Catastrophic-like shifts in shallow Turkish lakes: A modeling approach. *Ecol. Model.*, 183, p.425-434.
 427. Tan, S.S. and Smeins, F.E., (1996). Predicting grassland community changes with artificial neural network model. *Ecol. Model.*, 84, p.91-97.
 428. Tang, Z., Engel, B.A., Pijanowski, B.C., and Lim, K.J., (2005). Forecasting land use change and its environmental impact at a watershed scale. *Journal of Environmental Management* 76, p.35–45.
 429. Tchaban, T., Taylor, M.J., and Griffin, J.P., (1998). Establishing impacts of the inputs in a feedforward neural network. *Neural Comput. & Applic.*, 7, p.309-317.
 430. Thirumalaiah, K. and Deo, M.C., 2000. Hydrological forecasting using artificial neural networks. *ASCE Journal of Hydrologic Engineering* 5, p.145-163.
 431. Tibshirani, R., (1996). A comparison of some error estimates for neural network models. *Neural Computation*, 8, p.152-163.
 432. Tiktak, A., van den Berg, F., Boesten, J.J.T.I., Leistra, M., van der Linden, A.M.A. and van Kraalingen, D., (2000). Pesticide Emission Assessment at Regional and Local Scales: User Manual of Pearl Version 1.1. RIVM Report 711401008, *Alterra Report* 28. RIVM, Bilthoven, p.142.
 433. Tirabassi, M.A., (1972). A Statistically Based Mathematical Water Quality Model For A Non-Estuarine River System1. *Journal of the American Water Resources Association* 7 (6) , p.1221–1237.
 434. Tischendorf, L., (2001). Can landscape indices predict ecological processes consistently? *Landscape Ecol.* 16, p.235-254.
 435. Tjia, H.D., (1978). Structural geology of Peninsular Malaysia. *Third Regional Conference on Geology and Mineral Resources of Southeast Asia. Bangkok. Thailand.* 14-18 Nov. 1978. p.673-682.
 436. Tong, S.T.Y., (1990). The hydrologic effects of urban land use: a case study of the Little Miami River Basin. *Landscape Urban Plan.* 19, p.99-105.
 437. Tong, S.T.Y., and Chen, W., (2002). Modeling the relationship between land use and surface water quality. *J. Environ. Manage.* 66, p.377-393.
 438. Townsend, N.W. and Tarassenko, L., (1999). Estimations of error bounds for neural-network function approximators. *IEEE Trans Neural Networks*, 10(2), p.217.
 439. Tryon, R. C. and Bailey, D. E. (1973) *Cluster Analysis*. McGraw-Hill, New York, NY.
 440. Tufford, D.L., McKellar, H.N., and Hussey, J.R., (1998). In-stream non-point source nutrient predictions with land-use proximity and seasonality. *Journal of Environmental Quality*, 27, p.100-111.
 441. Tukey, J. W. (1977) *Exploratory Data Analysis*. Addison-Wesley, Reading, MA.
 442. Turner, B.L. II, Clark, W.C., Kates, R.W., Richards, J.F., Mathews, J.T., Meyer, W.B. (Eds.), (1990). *The Earth as Transformed by Human Action:*

- Global and Regional Changes in the Biosphere Over the Past 300 Years*. Cambridge Univ. Press, Cambridge.
443. Turner, M.G. and Gardner, M.H., (1991). Quantitative methods in landscape ecology. *Ecol. Studies*. Vol. 82, p.536.
444. Uhlenbrook, S. and Leibundgut, C., (2000). Development and Validation of a Process Oriented Catchment Model Based on Dominating Runoff Generation Processes. *Phys. Chem. Earth (B)*, Vol. 25, No. 7-8, p. 653-657.
445. UN (United Nations). (1996). *World urbanization prospects*, 1996 rev.
446. University Malaya Consultancy Unit (UPUM), (2002). *Program Pencegahan Pencemaran dan Peningkatan Kualiti Air Sungai Lang at; Final Draft Report*.
447. University Malaya Consultancy Unit, (1999). *Projek Kawalan Pencemaran Air: Kajian Pengkelasan Sungai-Sungai Di Malaysia Draf Laporan Akhir Jilid 7: Sungai Langat*.
448. US EPA, (1993). Storm Water Management Model. <http://www.epa.gov/SWMM>
449. US EPA, (1995). QUAL2E-The Enhanced Water Quality Model. <http://www.epa.gov/QUAL2E>
450. US EPA, (1996). Enhanced stream water quality model. <http://www.epa.gov/earth100/records/a00212.html>
451. United State Environmental Protection Agency (US EPA), (1998). *A Research Direction for Urban Watershed Modeling*. <http://www.epa.gov/ednrmrl/projects/products/model.htm>
452. U.S. Geological Survey (USGS), (1999). *The quality of our nation's waters-nutrients and pesticides*. U.S. Geological Survey Circular 1225.
453. U.S. Geological Survey (USGS), (2007). Water Quality in the Upper Anacostia River, Maryland: Continuous and Discrete Monitoring with Simulations to Estimate Concentrations and Yields, 2003-05. *Scientific Investigations Report 2007-5142*, USGS: Virginia.
454. Uvo, B.C., Tölle, U., and Berndtsson, R., (2000). Forecasting discharge in Amazonia using artificial neural networks. *International Journal of Climatology*, Vol. 20(12), p.1495-1507.
455. Van Dongen, G. and Geuens, L., (1998). Multivariate time series analysis for design and operation of a biological wastewater treatment plant. *Water Research*, Vol.32, No. 3, p.691-700.
456. Vega, M., Pardo, R., Barrado, E. and Luis, D., (1998). Assessment of Seasonal and Polluting Effects On The Quality of River Water by Explanatory Data Analysis. *Water Research*, Vol. 32, No. 12, p.3581-3592.
457. Verbeke, T. and Clercq, M.D., (2006). The EKC: Some really disturbing Monte Carlo evidence. *Environmental Modelling & Software* 21, p.1447-1454.
458. Verburg, P.H., Veldkamp, A., Willemen, L., Overmars, K.P., Castella, J.-P., (2004). Landscape level analysis of the spatial and temporal complexity of land-use change. In: De Vries, R., Houghton, R. (Eds.), *AGU Monograph*, (in press).
459. Wackernagel, H., (1998). Principal Component Analysis for autocorrelated data: a geostatistical perspective. *Technical Report*.

460. Wackerly, D.D., Mendenhall, W. and Scheaffer, R.L., (1996). *Mathematical Statistics with Applications* (5th. Ed.). Duxbury Press. Belmont, USA.
461. Wagener, T. and Kollat, J., 2007. Numerical and visual evaluation of hydrological and environmental models using the Monte Carlo analysis toolbox. *Environmental Modelling & Software* 22, p.1021-1033.
462. Wahl, M.H., McKellar, H.N. and Williams, T.M., (1997). Patterns of nutrients loading in forested and urbanized coastal streams. *Journal of Experimental Marine Biology and Ecology*, 213, p.111-131.
463. Walde, J.F., Tappeiner, G., Tappeiner, U., Tasser, E. And Holub, H.W., (2004). Statistical aspects of multilayer perceptrons under data limitations. *Computational Statistics & Data Analysis* 46, p.173-188.
464. Wardah Tahir and Zaidah Ibrahim, (2004). An expert system prototype for design flood estimation techniques. In Alias Abdullah, Norio Okada and Mohd Kamil Yusoff, *Water Environmental Planning: Towards integrated planning and management of water resources for environmental risks*, Bureau of Consultancy & Entrepreneurship, IIUM, p.341-352.
465. Ward, A. and Elliot, W., (1995). *Environmental Hydrology*. CRC Press LLC, United States of America.
466. Weigend, A.S., Rumelhart, D.E., and Huberman, B.A., (1990). Predicting the future: A connectionist approach. *Int. J. Neural Syst.*, 1, p.193-203.
467. Welch, D. N and Lim Teik Keat. (1987). *Water Resources Development and Management in Malaysia*. In Water Resources Policy for Asia. A. A. Balkema. Rotterdam. Netherlands.
468. Wernick, B.G., Cook. K.E. and Schreier, H., (1998). Landuse and stream water nitrate-N dynamic in an urban-rural fringe watershed. *Journal of the American Water Resources Association* 34, p.639-650.
469. Whelan, F., (1999). Assessment of hydrologic properties and land use/land cover in Pacific Northwest watershed through hydrologic modeling utilizing GIS. Paper presented in ESRI Conference (via internet).
470. Whitehead, P.G. and Young, P.C., (1979). Water Quality in River Systems: Monte-Carlo Analysis. *Water Resource Research*, 15, p.451-459.
471. Whitehead, P.G., Caddy, D.E., and Templeman, R.F., (1984). An On-line Monitoring, Data Management and Forecasting System for the Bedford Ouse River Basin. *Wat. Sci. Tech.*, 16, p.295-314.
472. Whitehead, P.G., Neal, C. and Neale, R., (1986). Modelling the Effects of Hydrological Changes on Stream Water Acidity. *Journal Hydrol.*, 84, p.353-364.
473. Whitehead, P.G., (1992). The Role of Model In Environmental Impact Assessment. *Water Quality Modelling* (Ed. R.A. Falconer), Ashgate.
474. Whitehead, P.G., Williams, R.J., and Lewis, D.R., (1997). Quality simulation along river systems (QUASAR): model theory and development. *The Science of the total Environment*, 194/195, p.447-456.
475. Widrow, B. and Lehr, M.A., (1990). 30 years of adaptive neural networks: perceptrons, madaline and backpropagation. *Proceeding of the IEEE*, 78, p.1415-1442.

476. Willet, P., (1987). *Similarity and Clustering in Chemical Information Systems*. Research Studies Press, Wiley, New York.
477. Wold, S., (1987). Principal Component Analysis. *Chemometrics and Intelligent Laboratory Systems*, 2, p.37-52.
478. Woli, K.P., Nagumo, T., Kuramochi, K. And Hatano, R., (2004). Evaluating river water quality through land use analysis and N budget approaches in livestock farming areas. *Sci. Total Environ.* 329, p.61-74.
479. Wunderlin, D.A., Diaz, M.P., Ame, M.V., Pesce, S.F., Hued, A.C., Bistoni, M.A., (2001). Pattern recognition techniques for the evaluation of spatial and temporal variations in water quality. A case study: Suquia river basin (Cordoba, Argentina). *Water Research* 35, p.2881-2894.
480. Xiang, W.N., (1995). GIS-based analysis: injection of geographic information into landscape planning. *Landscape Urban Planning* 34, p.1-10.
481. Yitian, L. and Gu, R.R., (2003). Modeling Flow and Sediment Transport in a River System Using an Artificial Neural Network. *Environmental Management*, Vol.31, No.1, p.122-134.
482. Yu, Y.-S., Zou, S. and Whittemore, D., (1993). Non-parametric trend analysis of water quality data of rivers in Kansas. *Journal of Hydrology* 150, p.61-80.
483. Yun-Mei Zhu, Y.-M., Lu, X.X. and Zhou, Y., (2007). Suspended sediment flux modeling with artificial neural network: An example of the Longchuanjiang River in the Upper Yangtze Catchment, China. *Geomorphology* 84, p.111–125.
484. Zalidis, G., Stamatiadis, S., Takavakoglou, V., Eskridge, K., and Misopolinos, N., (2002). Impacts of agricultural practices on soil and water quality in the Mediterranean region and proposed assessment methodology. *Agriculture Ecosystems & Environment*, 88, p.137-146.
485. Zampella, R.A., (1995). Characterization of Surface Water Quality Along a Watershed Disturbance Gradient. *Water Resources Bulletin* 30, p.605-611.
486. Zarita Zainuddin, (2004). Modelling Nonlinear Relationship in Ecology and Biology using Neural Networks. In Koh Hock Lye and Yahya Abu Hassan, *Ecological Environmental Modelling (ECOMOD 2001): Proceedings of the National Workshop*, 3-4 September, USM, p.88-95.
487. Zhang, G.P. and Hu, M.Y., (1998). Neural network forecasting of the British pound/US dollar exchange rate. *Omega, International Journal of Management Science* 26(4): p.495-506.
488. Zhang, Q. and Stanley, S. J.,(1997). Forecasting raw-water quality parameters for North Saskatchewan River by neural network modeling. *Water Resource*, 31, p. 2340-2350.
489. Zitko, V., (1994). Principal Component Analysis in the Evaluation of Environmental Data. *Marine Pollution Bulletin*, 12, Vol. 28, p.718-722.
490. Zipperer, W.C., Wu, J., Pouyat, R.V., and Pickett, S.T., (2000). The application of ecological principles to urban and urbanizing landscape. *Ecological Applications* 10(3), p.685-688.
491. Zimmerman, A.R., and Canuel, E.A., (2001). Bulk organic matter and lipid biomarker composition of Chesapeake Bay surficial sediments as indicators of environmental processes. *Estuarine Coastal Shelf Sci.* 53, p.319-341.

492. Zon, U. and Yu, Y., (1996). A dynamic factor model for multivariate water quality time series with trend. *J. Hydrol.*, 178, p.381-400.
493. Zovanyi, G., (1998). *Growth Management for a Sustainable Future: Ecological Sustainability as the New Growth Management Focus for the 21st Century*. Westport, Connecticut: Praeger Publishers.
494. Zupan, J., (1989). *Algorithms for Chemists*. Wiley: Chichester.
495. Zupan, J. and Gasteiger, J., (1993). *Neural Networks for Chemists: An Introduction*. VCH Publishers, New York.
496. Zupan, J., Novič, M. and Gasteiger, J., (1995). Neural networks with counter-propagation learning strategy used for modelling. *Chemometrics and intelligent laboratory systems* 27, p.175-187